

## REFERENCES

- AHLBERG, P.E. 1998. Postcranial stem tetrapod remains from the Devonian of Scat Craig, Morayshire, Scotland. *Zoological Journal of the Linnean Society*, 122: 99-141.
- AHLBERG, P.E., and A.R. MILNER. 1994. The origin and early diversification of tetrapods. *Nature*, 368: 507-514.
- AHLBERG, P.E., and J.A. CLACK. 1998. Lower jaws, lower tetrapods: a review based on the Devonian genus *Acanthostega*. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 68: 391-489.
- AHLBERG, P.E., and E. LUKSEVICS. 1998. The new data on the head and shoulder skeletons of the primitive tetrapod *Ventastega curonica*. *Latvijas Ģeoloģijas Vēstis*, 1998: 36-42.
- AHLBERG, P.E., and E. LUKSEVICS. 2004. New light on the Devonian tetrapod *Ventastega curonica*. *Journal of Vertebrate Paleontology*, 24: 33A.
- AHLBERG, P.E., and J.A. CLACK. 2006. A firm step from water to land. *Nature*, 440: 747-749.
- AHLBERG, P.E., E. LUKSEVICS, and O.A. LEBEDEV. 1994. The first tetrapod finds from the Devonian (Upper Famennian) of Latvia. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 343: 303-328.
- AHLBERG, P.E., J.A. CLACK, and E. LUKSEVICS. 1996. Rapid braincase evolution between *Panderichthys* and the earliest tetrapods. *Nature*, 381: 61-64.
- AHLBERG, P.E., J.A. CLACK, and H. BLOM. 2005. The axial skeleton of the Devonian tetrapod *Ichthyostega*. *Nature*, 437: 137-140.
- AMALITZKY, W.P. 1921. Dvinosauridae. North Dvina excavations of Prof. Amalitzky. *Russian Akademii Nauk, Petrograd*. 16 pp (In Russian).
- ANDERSON, J.S. 2001. The phylogenetic trunk: Maximal inclusion of taxa with missing data in an analysis of the Lepspondyli (Vertebrata, Tetrapoda). *Systematic Biology*, 50: 170-193.
- ANDERSON, J.S. 2002a. Revision of the aïstopod genus *Phlegethontia* (Tetrapoda, Lepspondyli). *Journal of Paleontology*, 76: 1029-1046.
- ANDERSON, J.S. 2002b. Use of well known names in phylogenetic nomenclature: A reply to Laurin. *Systematic Biology*, 51: 822-827.
- ANDERSON, J.S. 2003. Cranial anatomy of *Coloraderpeton brilli*, postcranial anatomy of *Oestocephalus amphiuminus*, and reconsideration of Ophiderpetontidae (Tetrapoda: Lepspondyli: Aïstopoda). *Journal of Vertebrate Paleontology*, 23: 532-543.
- ANDERSON, J.S., R.L. CARROLL, and T. ROWE. 2001. New information on *Lethiscus stocki* (Tetrapoda, Lepspondyli, Aïstopoda) from high resolution computerized tomography and a phylogenetic analysis of Aïstopoda. *Journal of Vertebrate Paleontology*, 21: 28A.
- ANDREWS, S.M., and T.S. WESTOLL. 1970. The postcranial skeleton of *Eusthenopteron foordi* Whiteaves. *Transactions of the Royal Society of Edinburgh*, 68: 207-328.
- ANDREWS, S.M., and R.L. CARROLL. 1991. The Order Adelospondyli: Carboniferous Lepspondyli amphibians. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 82: 239-275.

- ARRATIA, G., H. SCHULTZE, and J. CASCIOTTA. 2001. Vertebral column and associated elements in dipnoans and comparison with other fishes: Development and homology. *Journal of Morphology*, 250: 101-172.
- BAIRD, I.L. 1951. An anatomical study of certain salamanders of the genus *Psuedoeurycea*. *Kansas Bulletin of Science*, 34: 221-265.
- BAKKER, R.T. 1982. Juvenile-adult habitat shift in Permian fossil reptiles and amphibians. *Science*, 217: 53-55.
- BEAUMONT, E.H. 1977. Cranial morphology of the Loxommatidae. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 280: 29-101.
- BEERBOWER, J.R. 1963. Morphology, paleoecology, and phylogeny of the Permian-Pennsylvanian amphibian *Diploceraspis*. *Bulletin of the Museum of Comparative Zoology, Harvard University*, 130: 31-108.
- BEHRENSMEYER, A.K. 1975. The taphonomy and paleoecology of Plio-Pleistocene vertebrate assemblages from fluvial environments. *Bulletin of the Museum of Comparative Zoology, Harvard College*, 146: 473-578.
- BEHRENSMEYER, A.K. 1988. Vertebrate preservation in fluvial channels. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 63: 183-199.
- BEHRENSMEYER, A.K. 1991. Terrestrial vertebrate accumulations; pp. 291-335 in P.A. ALLISON and D.E.G. BRIGGS (eds.), *Taphonomy: Releasing the data locked in the fossil record*, Topics in Geobiology, Volume 9. Plenum Press, New York.
- BERMAN, D.S. 1993. Lower Permian vertebrate localities of New Mexico and their assemblages. *Vertebrate Paleontology in New Mexico, New Mexico Museum of Natural History and Science Bulletin*, 2: 11-22.
- BERMAN, D.S. 2000. Origin and early evolution of the amniote occiput. *Journal of Paleontology*, 74: 938-956.
- BERMAN, D.S., and R.R. REISZ. 1980. A new species of *Trimerorhachis* (Amphibia, Temnospondyli) from the Lower Permian Abo Formation of New Mexico, with discussion of Permian faunal distributions in that state. *Annals of Carnegie Museum*, 49: 455-485.
- BERMAN, D.S., and S.S. SUMIDA. 1990. A new species of *Limnoscelis* (Amphibia, Diadectomorpha) from the Late Pennsylvanian Sangre De Cristo Formation of central Colorado. *Annals of Carnegie Museum*, 59: 303-341.
- BERMAN, D.S., and A.C. HENRICI. 2003. Homology of the astragalus and structure and function of the tarsus of Diadectidae. *Journal of Paleontology*, 77: 172-188.
- BERMAN, D.S., and S.P. LUCAS. 2003. *Aspidosaurus binasser* (Amphibia: Temnospondyli), a new species of Dissorophidae from the Lower Permian of Texas. *Annals of Carnegie Museum*, 72: 241-262.
- BERMAN, D.S., R.R. REISZ, and D.A. EBERTH. 1985. *Ecolsonia cutlerensis*, an Early Permian dissorophid amphibian from the Cutler Formation of north-central New Mexico. *New Mexico Bureau of Mines and Mineral Resources Circular*, 191: 1-31.
- BERMAN, D.S., R.R. REISZ, and D.A. EBERTH. 1987a. A new genus and species of trematopid amphibian from the late Pennsylvanian of north-central New Mexico. *Journal of Vertebrate Paleontology*, 7: 252-269.
- BERMAN, D.S., R.R. REISZ, and D.A. EBERTH. 1987b. *Seymouria sanjuanensis* (Amphibia, Batrachosauria) from the Lower Permian Cutler Formation of north-central New Mexico and the occurrence of sexual dimorphism in that genus questioned. *Canadian Journal of Earth Sciences*, 24: 1769-1784.

- BERMAN, D.S., D.A. EBERTH, and D.B. BRINKMAN. 1988. *Stegotretus agyrus* a new genus and species of microsauro (amphibian) from the Permo-Pennsylvanian of New Mexico. *Annals of Carnegie Museum*, 57: 283-323.
- BERMAN, D.S., S.S. SUMIDA, and R.E. LOMBARD. 1992. Reinterpretation of the temporal and occipital regions in *Diadectes* and the relationships of Diadectomorpha. *Journal of Paleontology*, 66: 481-499.
- BERMAN, D.S., S.S. SUMIDA, and T. MARTENS. 1998. *Diadectes* (Diadectomorpha: Diadectidae) from the Early Permian of Central Germany, with description of a new species. *Annals of Carnegie Museum*, 67: 53-93.
- BERMAN, D.S., A.C. HENRICI, S.S. SUMIDA, and T. MARTENS. 2000. Redescription of *Seymouria sanjuanensis* (Seymouriamorpha) from the Lower Permian of Germany based on complete, mature specimens with a discussion of paleoecology of the Bromacker Locality assemblage. *Journal of Vertebrate Paleontology*, 20: 253-268.
- BERMAN, D.S., A.C. HENRICI, R.A. KISSEL, S.S. SUMIDA, and T. MARTENS. 2004. A new diadectid (Diadectomorpha), *Orobates pabsti*, from the Early Permian of Central Germany. *Bulletin of Carnegie Museum of Natural History*, 35: 1-36.
- BOISVERT, C.A. 2005. The pelvic fin and girdle of *Panderichthys* and the origin of tetrapod locomotion. *Nature*, 438: 1145-1147.
- BOLT, J.R. 1969. Lissamphibian origins: Possible protolissamphibian from the Lower Permian of Oklahoma. *Science*, 166: 888-891.
- BOLT, J.R. 1974a. Evolution and functional interpretation of some suture patterns in Paleozoic labyrinthodont amphibians and other lower tetrapods. *Journal of Paleontology*, 48: 434-458.
- BOLT, J.R. 1974b. Osteology, function and evolution of the trematopsid (Amphibia: Labyrinthodontia) nasal region. *Fieldiana: Geology*, 33: 11-29.
- BOLT, J.R. 1974c. A trematopsid skull from the Lower Permian, and analysis of some characters of the dissorophoid (Amphibia: Labyrinthodontia) otic notch. *Fieldiana: Geology*, 30: 67-79.
- BOLT, J.R. 1974d. Armour of dissorophids (Amphibia: Labyrinthodontia): An examination of its taxonomic use and report of a new occurrence. *Journal of Paleontology*, 48: 135-142.
- BOLT, J.R. 1977. Dissorophid relationships and ontogeny, and the origin of the Lissamphibia. *Journal of Paleontology*, 51: 235-249.
- BOLT, J.R. 1979. *Amphibamus grandiceps* as a juvenile dissorophid: Evidence and implications; pp. 529-563 in M.H. NITECKI (ed.), *Mazon Creek Fossils*. Academic Press, New York.
- BOLT, J.R., and R.E. LOMBARD. 2000. Palaeobiology of *Whatcheeria deltae*, a primitive Mississippian tetrapod; pp. 1044-1052 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: the Evolutionary History of Amphibians*, *Amphibian Biology*, Volume 4. Surrey Beatty & Sons, Chipping Norton.
- BOLT, J.R., and R.E. LOMBARD. 2001. The mandible of the primitive tetrapod *Greererpeton*, and the early evolution of the tetrapod lower jaw. *Journal of Paleontology*, 75: 1016-1042.
- BONAPARTE, J.F. 1963. *Promastodonsaurus bellmanni* n.g. et n.sp., capitosaurido del Triasico Medio de Argentina (Stereospondyli, Capitosauroida). *Ameghiniana*, 3: 67-78.
- BORSUK-BIALYNICKA, M., and S.E. EVANS. 2002. The scapulocoracoid of an Early Triassic stem-frog from Poland. *Acta Palaeontologica Polonica*, 47: 79-96.

- BOSSY, K.A., and A.C. MILNER. 1998. Order Nectridea Miall 1875; pp. 73-104 in WELLNHOFER-PETER (ed.), *Lepospondyli*, Handbuch der Paläoherpertology, Volume 1. Verlag Dr. Friedrich Pfeil, Munich.
- BOY, J.A. 1971. Zur problematik der Branchiosaurier (Amphibia, Karbon-Perm). *Paläontologische Zeitschrift*, 45: 107-119.
- BOY, J.A. 1972. Die Branchiosauridae (Amphibia) des saarpfälzischen Rotliegenden (Perm, SW-Deutschland). *Abhandlungen des hessischen Landesamts für Bodenforschung*, 65: 1-137.
- BOY, J.A. 1974. Die Larven der rhachitomen Amphibien (Amphibia: Temnospondyli; Karbon-Trias). *Paläontologische Zeitschrift*, 48: 236-268.
- BOY, J.A. 1978. The tetrapod fauna (Amphibia, Reptilia) from the Rotliegendes (Lower Permian) of the Saar-Nahe District (SW-Germany). 1. *Branchiosaurus*. *Mainzer Geowissenschaftliche Mitteilungen*, 7: 27-76 (In German).
- BOY, J.A. 1980. Die tetrapodenfauna (Amphibia, Reptilia) des saarpfälzischen Rotliegenden (Unter-Perm; SW-Deutschland) 2. *Tersomius graumanni* n. sp. *Mainzer Geowissenschaftliche Mitteilungen*, 8: 17-30.
- BOY, J.A. 1985. Über *Micropholis*, den letzten Überlebenden der Dissorophoidea (Amphibia, Temnospondyli; Unter-Trias). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 1985: 29-45.
- BOY, J.A. 1986. Studien über die Branchiosauridae (Amphibia: Temnospondyli) 1. Neue und wenig bekannte Arten aus dem mitteleuropäischen Rotliegenden (?oberstes Karbon bis unteres Perm). *Paläontologische Zeitschrift*, 60: 131-166.
- BOY, J.A. 1987. Studien über die Branchiosauridae (Amphibia: Temnospondyli; Ober-Karbon-Unter-Perm) 2. Systematische Übersicht. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 174: 75-104.
- BOY, J.A. 1988. Über einige Vertreter der Eryopoidea (Amphibia: Temnospondyli) aus dem Europäischen Rotliegend (höchstes Karbon- Perm). 1. *Sclerocephalus*. *Paläontologische Zeitschrift*, 62: 107-132.
- BOY, J.A. 1989. Über einige Vertreter der Eryopoidea (Amphibia: Temnospondyli) aus dem Europäischen Rotliegend (höchstes Karbon-Perm). 2. *Acanthostomatops*. *Paläontologische Zeitschrift*, 63: 133-151.
- BOY, J.A. 1990. Über einige Vertreter der Eryopoidea (Amphibia: Temnospondyli) aus dem Europäischen Rotliegend (höchstes Karbon-Perm). 3. *Onchiodon*. *Paläontologische Zeitschrift*, 64: 287-312.
- BOY, J.A. 1993. Über einige Vertreter der Eryopoidea (Amphibia: Temnospondyli) aus dem Europäischen Rotliegend (höchstes Karbon-Perm). 4. *Cheliderpeton*. *Paläontologische Zeitschrift*, 67: 123-143.
- BOY, J.A. 1995. Über die Micromelerpetontidae (Amphibia: Temnospondyli) 1. Morphologie und paläoökologie des *Micromelerpeton credneri* (Unter-Perm; SW-Deutschland). *Paläontologische Zeitschrift*, 69: 429-457.
- BOY, J.A. 1996. Ein neuer Eryopoide (Amphibia: Temnospondyli) aus dem saarpfälzischen Rotliegend (Unter-Perm; Sudwest-Deutschland). *Mainzer Geowissenschaftliche Mitteilungen*, 25: 7-26.
- BOY, J.A. 2002a. Über die Micromelerpetontidae (Amphibia: Temnospondyli) 2. *Micromelerpeton ulmetense* n.sp. und *Micromelerpeton (?) boyi* Heyler. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 223: 241-274.
- BOY, J.A. 2002b. Über die Micromelerpetontidae (Amphibia: Temnospondyli) 3. *Eimerisaurus* n.g. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 225: 425-452.

- BOY, J.A., and K. BANDEL. 1973. *Bruktererpeton fiebigi* n. gen. s. sp. (Amphibia: Gephyrostegida) der erste tetrapode aus dem Rheinsch-Westphalischen Karbon (Namur B, W-Deutschland). *Palaeontographica Abteilung A- Palaeozoologie-Stratigraphie*, 145: 39-77.
- BOY, J.A., and H.-D. SUES. 2000. Branchiosaurs: Larvae, metamorphosis and heterochrony in temnospondyls and seymouriamorphs; pp. 1150-1197 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: The Evolutionary History of Amphibians*, Amphibian Biology, Volume 4. Surrey Beatty & Sons, Chipping Norton.
- BRANSON, E.B., and M.G. MEHL. 1929. Triassic amphibians from the Rocky Mountain region. *University of Missouri Studies*, 4: 155-239.
- BRAZEAU, M.D., and P.E. AHLBERG. 2006. Tetrapod-like fish middle ear architecture in a Devonian fish. *Nature*, 439: 318-321.
- BRINKMAN, D.B. 1988. Size-independent criteria for estimating relative age in *Ophiacodon* and *Dimetrodon* (Reptilia, Pelycosauria) from the Admiral and Lower Belle Plains Formations of west-central Texas. *Journal of Vertebrate Paleontology*, 8: 172-180.
- BROCHU, C.A. 1995. Heterochrony in the crocodylian scapulocoracoid. *Journal of Herpetology*, 29: 464-468.
- BROCHU, C.A. 1996. Closure of neurocentral sutures during crocodylian ontogeny: implications for maturity assessment in fossil archosaurs. *Journal of Vertebrate Paleontology*, 16: 49-62.
- BROILI, F. 1904. Permische Stegocephalen und reptilien aus Texas. *Palaeontographica Abteilung A- Palaeozoologie-Stratigraphie*, 51: 1-120.
- BROILI, F. 1908. Über *Sclerocephalus* aus der Gaskohle von Nurschan und das Alter dieser Ablagerungen. *Jahrbuch der Kaiserlich Koniglichen Geologischhen Reichsanstalt Wien*, 58: 49-70.
- BROILI, F. 1926. Über *Sclerocephalus haeuseri* Goldfuss. *Sitzungsberichte der Bayerischen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Abteilung*, 1926: 199-122.
- BROILI, F., and H.C. SCHRÖDER. 1937. Beobachtungen an wirbeltieren der Karrooformation. XXV. Über *Micropholis Huxleyi*. XXVI. Über *Lydekkerina Broom*. *Sitzungsberichte der Bayerischen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Abteilung*, 1937: 19-57.
- BROOM, R. 1913. On a new South African stegocephalian (*Phrynosuchus whaitsi*). *Annals of the South African Museum*, 7: 270-278.
- BROOM, R. 1915. On the Triassic Stegocephalians, *Brachyops*, *Bothriceps* and *Lydekkerina* gen. nov. *Proceedings of the Zoological Society of London*, 26: 363-368.
- BROOM, R. 1930. Notes on some labyrinthodonts in the Transvaal Museum. *Annals of the Transvaal Museum*, 14: 1-10.
- BRYANT, H.N. 1997. Hypothetical ancestors and rooting in cladistic analysis. *Cladistics*, 13: 337-348.
- BRYANT, H.N., and A.P. RUSSELL. 1992. The role of phylogenetic analysis in the inference of unrepresented attributes of extinct taxa. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 337: 405-418.
- BULANOV, V.V. 2003. Evolution and systematics of seymouriamorph reptiles. *Paleontological Journal*, 37: S1-S105.

- BURMEISTER, H. 1849. Die Labyrinthodonten aus dem bunten Sanstein von Bernburg. Erste Abtheilung. *Trematosaurus*, Zoologisch geschildert. Verlag von G. Reimer, Berlin.
- BYSTROW, A.P. 1938. *Dvinosaurus* als neotenische form der stegocephalen. Acta Zoologica (Stockholm), 19: 209-295.
- BYSTROW, A.P. 1944. On *Kotlassia prima* Amalitzky. Bulletin of the Geological Society of America, 55: 379-416.
- BYSTROW, A.P., and J.A. EFREMOV. 1940. *Benthosuchus sushkini* Efremov: A labyrinthodont from the Eotriassic of the Sharzhenga River. Trudy Paleontologicheskogo Instituta, 10: 1-152 (In Russian).
- CABRERA, A. 1944. Sobre un estegocéfalo de la provincia de Mendoza. Notas Museo Universidad Nacional de La Plata IX, Paleontologia, 69: 421-429.
- CALDWELL, M.W. 1996. Ontogeny and phylogeny of the mesopodial skeleton in mosasaurid reptiles. Zoological Journal of the Linnean Society, 116: 407-436.
- CARLSON, K.J. 1987. *Perryella*, a new temnospondylous amphibian from the Lower Permian of Oklahoma. Journal of Paleontology, 61: 135-147.
- CARROLL, R.L. 1964a. Early evolution of the dissorophid amphibians. Bulletin of the Museum of Comparative Zoology, Harvard University, 131: 161-250.
- CARROLL, R.L. 1964b. The relationships of the rhachitomous amphibian *Parioxys*. American Museum Novitates, 2167: 1-11.
- CARROLL, R.L. 1967. Labyrinthodonts from the Joggins Formation. Journal of Paleontology, 41: 111-142.
- CARROLL, R.L. 1968. The postcranial skeleton of the Permian microsaure *Pantylus*. Canadian Journal of Zoology, 46: 1175-1192.
- CARROLL, R.L. 1969a. A middle Pennsylvanian captorhinomorph, and the interrelationships of primitive reptiles. Journal of Paleontology, 43: 151-170.
- CARROLL, R.L. 1969b. A new family of Carboniferous amphibians. Palaeontology, 12: 537-548.
- CARROLL, R.L. 1970. The ancestry of reptiles. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 257: 267-308.
- CARROLL, R.L. 1972a. Carboniferous stem reptiles of the family Romeriidae. Bulletin of the Museum of Comparative Zoology, Harvard University, 143: 321-363.
- CARROLL, R.L. 1972b. Gephyrostegida, Solenodonsauridae; pp. 1-80 in O. KUHN (ed.), Batrachosauria (Antracosauria), Handbuch der Paläoherpetology, Volume 5B. Gustav Fischer Verlag, Stuttgart.
- CARROLL, R.L. 1989. Developmental aspects of lepospondyl vertebrae in Paleozoic tetrapods. Historical Biology, 3: 1-25.
- CARROLL, R.L. 1991. *Batropetes* from the Lower Permian of Europe: A microsaure not a reptile. Journal of Vertebrate Paleontology, 11: 229-242.
- CARROLL, R.L. 1995. Problems of the phylogenetic analysis of Paleozoic choanates. Bulletin du Muséum National d'Histoire Naturelle, Paris, 4ème Série, 17: 389-445.
- CARROLL, R.L. 1998a. Cranial anatomy of ophiderpetontid aïstopods: Palaeozoic limbless amphibians. Zoological Journal of the Linnean Society, 122: 143-166.
- CARROLL, R.L. 1998b. Order Microsauria; pp. 1-72 in WELLNHOFER-PETER (ed.), Lepospondyli, Handbuch der Paläoherpetology, Volume 1. Verlag Dr. Friedrich Pfiel, Munich.
- CARROLL, R.L. 2000a. *Eocaecilia* and the origin of caecilians; pp. 1402-1411 in H. HEATWOLE and R.L. CARROLL (eds.), Palaeontology: the Evolutionary History of Amphibians, Amphibian Biology, Volume 4. Surrey Beatty & Sons, Chipping Norton.

- CARROLL, R.L. 2000b. The fossil record and large-scale patterns of amphibian evolution; pp. 973-978 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: The Evolutionary History of Amphibians, Amphibian Biology, Volume 4*. Surrey Beatty & Sons, Chipping Norton.
- CARROLL, R.L. 2001. The origin and radiation of terrestrial vertebrates. *Journal of Paleontology*, 75: 1202-1213.
- CARROLL, R.L. 2002. Early land vertebrates. *Nature*, 418: 35-36.
- CARROLL, R.L., and D. BAIRD. 1968. The Carboniferous amphibian *Tudinatus (Eosaravus)* and the distinction between microsaur and reptiles. *American Museum Novitates*, 2337: 1-50.
- CARROLL, R.L., and P. GASKILL. 1971. A captorhinomorph reptile from the Lower Permian of Europe. *Journal of Paleontology*, 45: 450-463.
- CARROLL, R.L., and P. GASKILL. 1978. The order Microsauria. *Memoirs of the American Philosophical Society*, 126: 1-211.
- CARROLL, R.L., A. KUNTZ, and K. ALBRIGHT. 1999. Vertebral development and amphibian evolution. *Evolution and Development*, 1: 36-48.
- CARROLL, R.L., K.A. BOSSY, A.C. MILNER, S.M. ANDREWS, and C.F. WELLSTEAD. 1998. Lepospondyli; in WELLNHOFER-PETER (ed.), *Handbuch der Paläoherpetology, Volume 1*. Verlag Dr. Friedrich Pfiel, Munich. 216 pp.
- CARROLL, R.L., C.A. BOISVERT, J.R. BOLT, D.M. GREEN, N. PHILIP, C. ROLIAN, R.R. SCHOCH, and A. TARENKO. 2004. Changing patterns of ontogeny from osteolepiform fish through to the origin of land vertebrates; pp. 321-343 in G. ARRIATA, M.V.H. WILSON, and R. CLOUTIER (eds.), *Recent Advances in the Origin and Early Radiation of Vertebrates: Honoring Hans-Peter Schultze*. Verlag Dr. Friedrich Pfiel, München.
- CASE, E.C. 1905. The osteology of the Diadectidae and their relations to the Chelydosauria. *Journal of Geology*, 13: 126-159.
- CASE, E.C. 1907. Additional description of the genus *Zatrachys*. *Bulletin of the American Museum of Natural History*, 23: 665-668.
- CASE, E.C. 1910. New or little known reptiles and amphibians from the Permian (?) of Texas. *Bulletin of the American Museum of Natural History*, 28: 163-181.
- CASE, E.C. 1911a. Revision of the Amphibia and Pisces of the Permian of North America. *Carnegie Institute of Washington Publication*, 146: 1-179.
- CASE, E.C. 1911b. Revision of the Cotylosauria of North America. *Carnegie Institute of Washington Publication*, 144: 1-122.
- CASE, E.C. 1915. The Permo-Carboniferous Red Beds of North America and their vertebrate fauna. *Carnegie Institute of Washington Publication*, 207: 1-148.
- CASE, E.C. 1922. New reptiles and stegocephalians from the Upper Triassic of western Texas. *Carnegie Institute of Washington Publication*, 321: 1-84.
- CASE, E.C. 1931. Description of a new species of *Buettneria*, with a discussion of the brain case. *Contributions from the Museum of Paleontology, University of Michigan*, 3: 187-206.
- CASE, E.C. 1932. A collection of stegocephalians from Scurry County, Texas. *Contributions from the Museum of Paleontology, University of Michigan*, 4: 1-56.
- CASE, E.C. 1935. Description of a collection of associated skeletons of *Trimerorhachis*. *Contributions from the Museum of Paleontology, University of Michigan*, 4: 227-274.

- CASE, E.C., and S.W. WILLISTON. 1913. Description of a nearly complete skeleton of *Diasparactus zenos* Case; pp. 17-35 in E.C. CASE, S.W. WILLISTON, and M.G. MEHL (eds.), *Permo - Carboniferous Vertebrates of New Mexico*, Volume 181. Carnegie Institute of Washington Publication, Washington, DC.
- CHASE, J.N. 1965. *Neldasaurus wrightae*, a new rhachitomous labyrinthodont from the Texas Lower Permian. *Bulletin of the Museum of Comparative Zoology*, Harvard University, 133: 155-225.
- CHERNIN, S. 1977. A new brachyopid, *Batrachosuchus concordi* sp nov. from the Upper Luangwa Valley, Zambia with a redescription of *Batrachosuchus browni* Broom, 1903. *Palaeontologia africana*, 20: 87-109.
- CHERNIN, S., and J.W. KITCHING. 1977. A reassessment of *Phrynosuchus whaitsi* Broom. *Palaeontologia africana*, 20: 111-113.
- CHERNIN, S., and A.R.I. CRUIKSHANK. 1978. The myth of the bottom dwelling capitosaur amphibians. *South African Journal of Science*, 74: 111-112.
- CLACK, J.A. 1983. The stapes of the Coal Measures embolomere *Pholiderpeton scutigerum* Huxley and otic evolution in early tetrapods. *Zoological Journal of the Linnean Society*, 79: 121-148.
- CLACK, J.A. 1987a. *Pholiderpeton scutigerum* Huxley, an amphibian from the Yorkshire coal measures. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 318: 1-107.
- CLACK, J.A. 1987b. Two new specimens of *Anthracosaurus* (Amphibia: Anthracosauria) from the Northumberland Coal Measures. *Palaeontology*, 30: 15-26.
- CLACK, J.A. 1988. New material of the early tetrapod *Acanthostega* from the Upper Devonian of East Greenland. *Palaeontology*, 31: 699-724.
- CLACK, J.A. 1992. The stapes in *Acanthostega gunnari* and the role of the stapes in early tetrapods; pp. 405-420 in D.B. WEBSTER, R.R. FAY, and A.N. POPPER (eds.), *The Evolutionary Biology of Hearing*. Springer-Verlag, New York.
- CLACK, J.A. 1994a. *Acanthostega gunnari*, a Devonian tetrapod from Greenland; the snout, palate and ventral parts of the braincase, with a discussion of their significance. *Meddelelser om Grønland, Geoscience*, 31: 1-24.
- CLACK, J.A. 1994b. Earliest-known tetrapod braincase and the evolution of the stapes and fenestra ovalis. *Nature*, 369: 392-4.
- CLACK, J.A. 1994c. *Silvanerpeton miripedes*, a new anthracosauroid from the Visean of East Kirkton, West Lothian, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84: 369-376.
- CLACK, J.A. 1996. The palate of *Crassigyrinus scoticus*, a primitive tetrapod from the Lower Carboniferous of Scotland. *Special Papers in Palaeontology*, 52: 55-64.
- CLACK, J.A. 1997. Devonian tetrapod trackways and trackmakers; a review of the fossils and footprints. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 130: 227-250.
- CLACK, J.A. 1998a. A new Early Carboniferous tetrapod with a melange of crown-group characters. *Nature*, 394: 66-69.
- CLACK, J.A. 1998b. The neurocranium of *Acanthostega gunnari* Jarvik and the evolution of the otic region in tetrapods. *Zoological Journal of the Linnean Society*, 122: 61-97.
- CLACK, J.A. 1998c. The Scottish Carboniferous tetrapod *Crassigyrinus scoticus* (Lydekker): Cranial anatomy and relationships. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 88: 127-142.
- CLACK, J.A. 2000. Early Carboniferous tetrapods; pp. 1030-1043 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: The Evolutionary History of Amphibians*, *Amphibian Biology*, Volume 4. Surrey Beatty & Sons, Chipping Norton.

- CLACK, J.A. 2001. *Eucritta melanolimnetes* from the Early Carboniferous of Scotland, a stem tetrapod showing a mosaic of characteristics. Transactions of the Royal Society of Edinburgh: Earth Sciences, 92: 75-95.
- CLACK, J.A. 2002a. Gaining Ground: The Origin and Evolution of Tetrapods. Indiana University Press, Bloomington. 369 pp.
- CLACK, J.A. 2002b. An early tetrapod from 'Romer's Gap'. Nature, 418: 72-76.
- CLACK, J.A. 2002c. The dermal skull roof of *Acanthostega gunnari*, an early tetrapod from the Late Devonian. Transactions of the Royal Society of Edinburgh: Earth Sciences, 93: 17-33.
- CLACK, J.A. 2002d. Patterns and processes in the early evolution of the tetrapod ear. Journal of Neurobiology, 53: 252-264.
- CLACK, J.A. 2003a. A new baphetid (stem tetrapod) from the Upper Carboniferous of Tyne and Wear, U.K., and the evolution of the tetrapod occiput. Canadian Journal of Earth Sciences, 40: 483-498.
- CLACK, J.A. 2003b. A revised reconstruction of the dermal skull roof of *Acanthostega gunnari*, an early tetrapod from the Late Devonian. Transactions of the Royal Society of Edinburgh: Earth Sciences, 93: 163-165.
- CLACK, J.A. 2004. From fins to fingers. Science, 304: 57-58.
- CLACK, J.A., and R.B. HOLMES. 1988. The braincase of the Anthracosauria *Archeria crassidisca* with comments on the interrelationships of primitive tetrapods. Palaeontology, 31: 85-107.
- CLACK, J.A., and A.R. MILNER. 1993. *Platyrrhinops* from the Upper Carboniferous of Linton and Nyrany and the family Amphibamidae (Amphibia: Temnospondyli). Pollichia, 29: 185-191.
- CLACK, J.A., and M.I. COATES. 1995. *Acanthostega gunnari*, a primitive, aquatic tetrapod? Bulletin du Muséum National d'Histoire Naturelle, Paris, 4ème Série, 17: 359-72.
- CLACK, J.A., and P.E. AHLBERG. 2004. A new stem tetrapod from the Early Carboniferous of Northern Ireland; pp. 309-320 in G. ARRIATA, M.V.H. WILSON, and R. CLOUTIER (eds.), Recent Advances in the Origin and Early Radiation of Vertebrates: Honoring Hans-Peter Schultze. Verlag Dr. Friedrich Pfiel, München.
- CLACK, J.A., and S.M. FINNEY. 2005. *Pederpes finneyae*, an articulated tetrapod from the Tournaisian of Western Scotland. Journal of Systematic Palaeontology, 2: 311-346.
- CLACK, J.A., H. BLOM, and P.E. AHLBERG. 2003a. New insights into the postcranial skeleton of *Ichthyostega*. Journal of Vertebrate Paleontology, 23: 41A.
- CLACK, J.A., P.E. AHLBERG, S.M. FINNEY, P. DOMINGUEZ ALONSO, J. ROBINSON, and R.A. KETCHAM. 2003b. A uniquely specialised ear in a very early tetrapod. Nature, 425: 65-69.
- CLARK, J., and R.L. CARROLL. 1973. Romeriid reptiles from the Lower Permian. Bulletin of the Museum of Comparative Zoology, Harvard University, 144: 353-407.
- COATES, M.I. 1996. The Devonian tetrapod *Acanthostega gunnari* Jarvik: Postcranial anatomy, basal tetrapod interrelationships and patterns of skeletal evolution. Transactions of the Royal Society of Edinburgh: Earth Sciences, 87: 363-421.
- COATES, M.I., and J.A. CLACK. 1990. Polydactyly in the earliest known tetrapod limbs. Nature, 347: 66-69.
- COATES, M.I., and J.A. CLACK. 1991. Fish-like gills and breathing in the earliest known tetrapod. Nature, 352: 234-236.
- COATES, M.I., and J.A. CLACK. 1995. Romer's gap: Tetrapod origins and terrestriality. Bulletin du Muséum National d'Histoire Naturelle, Paris, 4ème Série, 17: 373-388.

- COATES, M.I., M. RUTA, and A.R. MILNER. 2000. Early tetrapod evolution. *Tree*, 15: 327-328.
- COATES, M.I., J.E. JEFFERY, and M. RUTA. 2002. Fins to limbs: what the fossils say. *Evolution and Development*, 4: 390-401.
- COLBERT, E.H. 1955. Scales in the Permian amphibian *Trimerorhachis*. *American Museum Novitates*, 1740: 1-17.
- COLBERT, E.H., and J. IMBRIE. 1956. Triassic metoposaurid amphibians. *Bulletin of the American Museum of Natural History*, 110: 400-452.
- COLBERT, E.H., and J.W. COSGRIFF. 1974. Labyrinthodont amphibians from Antarctica. *American Museum Novitates*, 2552: 1-30.
- COLDIRON, R.W. 1978. *Acroplous vorax* Hotton (Amphibia, Saurerpetontidae) restudied in the light of new material. *American Museum Novitates*, 2662: 1-27.
- COPE, E.D. 1877. Descriptions of extinct vertebrata from the Permian and Triassic formations of the United States. *Proceedings of the American Philosophical Society*, 17: 182-195.
- COPE, E.D. 1878. Descriptions of extinct Batrachia and Reptilia from the Permian formation of Texas. *Proceedings of the American Philosophical Society*, 17: 505-530.
- COPE, E.D. 1880. Second contribution to the history of the Vertebrata of the Permian Formation of Texas. *Proceedings of the American Philosophical Society*, 19: 38-58.
- COPE, E.D. 1882a. The rachitomous Stegocephala. *The American Naturalist*, 16: 334-335.
- COPE, E.D. 1882b. Third contribution to the history of the Vertebrata of the Permian Formation of Texas. *Proceedings of the American Philosophical Society*, 20: 405-461.
- COPE, E.D. 1884. The Batrachia of the Permian period of North America. *The American Naturalist*, 18: 26-39.
- COPE, E.D. 1888. On the shoulder girdle and extremities of *Eryops*. *Transactions of the American Philosophical Society*, 16: 362-367.
- COPE, E.D. 1895. A batrachian armadillo. *The American Naturalist*, 29: 998.
- COPE, E.D. 1896. The reptilian order Cotylosauria. *Proceedings of the American Philosophical Society*, 36: 436-457.
- COPE, E.D., and W.D. MATTHEW. 1915. Hitherto Unpublished Plates of Tertiary Mammalia and Permian Vertebrata, Monograph series number 2. *American Museum of Natural History*, Washington, DC. 300 pp.
- COSGRIFF, J.W. 1965. A new genus of Temnospondyli from the Triassic of Western Australia. *Journal of the Royal Society of Western Australia*, 48: 65-95.
- COSGRIFF, J.W. 1969. *Blinasaurus*, a brachyopid genus from Western Australia and New South Wales. *Journal of the Royal Society of Western Australia*, 52: 65-88.
- COSGRIFF, J.W. 1972. *Parotosaurus wadei*, a new capitosaurid from New South Wales. *Journal of Paleontology*, 46: 545-555.
- COSGRIFF, J.W. 1974. Lower Triassic Temnospondyli of Tasmania. *Geological Society of America Special Papers*, 149: 1-131.
- COSGRIFF, J.W., and J.M. ZAWISKIE. 1979. A new species of the Rhytidosteidae from the *Lystrosaurus* Zone and a review of the Rhytidosteoidea. *Palaeontologia africana*, 22: 1-27.
- COSGRIFF, J.W., and W.R. HAMMER. 1984. New material of labyrinthodont amphibians from the Lower Triassic Fremouw Formation of Antarctica. *Journal of Vertebrate Paleontology*, 4: 47-56.
- COX, D.C., and W.W. TANNER. 1989. Hyobranchial apparatus of the Cryptobranchoidea (Amphibia). *Great Basin Naturalist*, 49: 482-490.

- CREDNER, H. 1883. Die Stegocephalen aus dem Rotliegenden des Plauen'schen Grundes bei Dresden. IV. Theil. Zeitschrift der Deutschen Geologischen Gesellschaft, 1883: 275-300.
- CREDNER, H. 1893. Die Stegocephalen und Saurier aus dem Rotliegenden des Plauen'schen Grundes bei Dresden. 10 Theil. Zeitschrift der Deutschen Geologischen Gesellschaft, 45: 639-704.
- CURRIE, P.J., and R.L. CARROLL. 1984. Ontogenetic changes in the Eosuchian reptile *Thadeosaurus*. Journal of Vertebrate Paleontology, 4: 68-84.
- DAESCHLER, E.B., N.H. SHUBIN, and F.A. JENKINS JNR. 2006. A Devonian tetrapod-like fish and the evolution of the tetrapod body plan. Nature, 440: 757-763.
- DAESCHLER, E.B., N.H. SHUBIN, K.S. THOMSON, and W.W. AMARAL. 1994. A Devonian tetrapod from North America. Science, 265: 639-642.
- DALQUEST, W.W., and S.H. MAMAY. 1963. A remarkable concentration of Permian amphibian remains in Haskell County, Texas. Journal of Geology, 71: 641-644.
- DALY, E. 1973. A lower Permian vertebrate fauna from southern Oklahoma. Journal of Paleontology, 47: 562-589.
- DALY, E. 1994. The Amphibamidae (Amphibia: Temnospondyli), with a description of a new genus from the Upper Pennsylvanian of Kansas. University of Kansas, Museum of Natural History Miscellaneous Publication, 85: 1-59.
- DAMIANI, R.J. 1999. Giant temnospondyl amphibians from the Early to Middle Triassic Narrabeen Group of the Sydney Basin, New South Wales, Australia. Alcheringa, 23: 87-109.
- DAMIANI, R.J. 2000. Bone histology of some Australian Triassic temnospondyl amphibians: Preliminary data. Modern Geology, 24: 109-124.
- DAMIANI, R.J. 2001a. A systematic revision and phylogenetic analysis of Triassic mastodonsauroids (Temnospondyli: Stereospondyli). Zoological Journal of the Linnean Society, 133: 379-482.
- DAMIANI, R.J. 2001b. Cranial anatomy of the giant Middle Triassic temnospondyl *Cherninia megarhina* and a review of feeding in mastodonsaurids. Palaeontologia africana, 37: 41-52.
- DAMIANI, R.J. 2002. *Parotosuchus* (Amphibia, Temnospondyli) from the *Cynonathus* Assemblage Zone (Early Triassic) of South Africa: Cranial morphology and relationships. Alcheringa, 25: 351-379.
- DAMIANI, R.J. 2003. A new brachyopid temnospondyl from the *Cynognathus* Assemblage Zone, Upper Beaufort Group, South Africa. Journal of Vertebrate Paleontology, 23: 67-78.
- DAMIANI, R.J., and A.A. WARREN. 1996. A new look at members of the Superfamily Brachyopoidea (Amphibia, Temnospondyli) from the Early Triassic of Queensland and a preliminary analysis of Brachyopoidea relationships. Alcheringa, 20: 277-300.
- DAMIANI, R.J., and A.A. WARREN. 1997. Re-interpretation of *Parotosuchus wadei* Cosgriff, a capitosaurid from the Triassic Narrabeen Group at Gosford, New South Wales, with comments on its growth stage. Alcheringa, 21: 281-289.
- DAMIANI, R.J., and B.S. RUBIDGE. 2003. A review of the South African temnospondyl amphibian record. Palaeontologia africana, 39: 21-36.
- DAMIANI, R.J., and A.M. YATES. 2003. The Triassic amphibian *Thoosuchus yakovlevi* and the relationships of the Trematosauroidea (Temnospondyli: Stereospondyli). Records of the Australian Museum, 55: 331-342.
- DAMIANI, R.J., C.A. SIDOR, J.-S. STEYER, R.M.H. SMITH, H.C.E. LARSSON, B. GADO, A. MAGA, and O. IDE. in press. The vertebrate fauna of the Upper Permian of Niger, IV. A new primitive temnospondyl. Journal of Vertebrate Paleontology.

- DAWSON, J.W. 1882. On the results of recent explorations of erect trees containing animal remains in the Coal-formation of Nova Scotia. *Philosophical Transactions of the Royal Society of London Series B, Containing Papers of a Biological Character*, 173: 621-659.
- DE FAUW, S.L. 1989. Temnospondyl Amphibians: A new perspective on the last phases in the evolution of the Labyrinthodontia. *Michigan Academician*, 21: 7-32.
- DE MAR, R.E. 1966. The phylogenetic and functional implications of the armour of the Dissorophidae. *Fieldiana: Geology*, 16: 55-88.
- DE MAR, R.E. 1968. The Permian labyrinthodont amphibian *Dissorophus multicinctus*, and adaptations and phylogeny of the family Dissorophidae. *Journal of Paleontology*, 42: 1210-1242.
- DE QUEIROZ, K., and K. GAUTHIER. 1990. Phylogeny as a central principal in taxonomy: Phylogenetic definitions of taxon names. *Systematic Zoology*, 39: 307-322.
- DE RICQLÈS, A., and J.R. BOLT. 1983. Jaw growth and tooth replacement in *Captorhinus aguti* (Reptilia: Captorhinomorpha ): a morphological and histological analysis. *Journal of Vertebrate Paleontology*, 3: 7-24.
- DEBAN, S.M., and D.B. WAKE. 2000. Aquatic feeding in salamanders; pp. 65-94 in K. SCHWENK (ed.), *Feeding: Form, Function and Evolution in Tetrapod Vertebrates*. Academic Press, San Diego, California.
- DIAS, E.V., and M. RICHTER. 2002. On the squamation of *Australerpeton cosgriffi* Barberena, a temnospondyl amphibian from the Upper Permian of Brazil. *Anais da Academia Brasileira de Ciências*, 74: 477-490.
- DIAS, E.V., and C.L. SCHULTZ. 2003. The first Paleozoic temnospondyl postcranial from South America. *Revista Brasileira de Paleontologia*, 6: 29-42.
- DILKES, D.W. 1990. A new trematopsid amphibian (Temnospondyli: Dissorophoidea) from the Lower Permian of Texas. *Journal of Vertebrate Paleontology*, 10: 222-243.
- DILKES, D.W. 1993. Biology and evolution of the nasal region in trematopid amphibians. *Palaeontology*, 36: 839-853.
- DILKES, D.W., and R.R. REISZ. 1987. *Trematops milleri* Williston, 1909, identified as a junior synonym of *Acheloma cumminsi* Cope, 1882, with a revision of the genus. *American Museum Novitates*, 2902: 1-12.
- DOUTHITT, H. 1917. The structure and relationships of *Diplocaulus*. *Contributions from the Walker Museum*, 2: 1-41.
- DUTUIT, J.M. 1976. Introduction à l'étude paléontologique du Trias continental Marocain. Description des premiers stégocephales recueillis dans le couloir d'Argana (Atlas Occidental). *Mémoires du Muséum National d'Histoire Naturelle, Paris*, 36: 1-253.
- EATON, T.H. 1960. The aquatic origin of tetrapods. *Transactions of the Kansas Academy of Science*, 63: 115-120.
- EDWARDS, J.L. 1977. The evolution of terrestrial locomotion; pp. 553-577 in M.K. HECHT, P.C. GOODY, and B.M. HECHT (eds.), *Major patterns in Vertebrate Evolution*. Plenum Press, New York.
- EFREMOV, J.A. 1931. On the Permo-Triassic labyrinthodonts from U.S.S.R. I. The labyrinthodonts of the Campylian beds of mountain Great Bogdo. II. On the morphology of *Dvinosaurus*. *Trudy Paleontologicheskogo Instituta*, 1: 57-70 (In Russian).
- EFREMOV, J.A. 1937. On stratigraphic subdivision of the continental Permian and Triassic of the U.S.S.R. on the basis of the fauna of early Tetrapods. *Comptes Rendus de l'Académie des Sciences de l'URSS*, 16: 121-126.
- EFREMOV, J.A. 1940. Preliminary description of the new Permian and Triassic Tetrapoda from U.S.S.R. *Trudy Paleontologicheskogo Instituta*, 10: 1-140 (In Russian).

- EMERY, C. 1897. Die fossilen reste von *Archegosaurus* und *Eryops* und ihre bedeutung für die morphologie des gliedmaßenskelets. *Anatomischer Anzeiger*, 14: 202-208.
- ESTES, R. 1981. Gymnophiona, Caudata; in WELLNHOFER-PETER (ed.), *Handbuch der Paläoherpetology*, Volume 2. Verlag, Munich. 116 pp.
- ESTES, R., and R. HOFFSTETTER. 1976. Les urodèles du Miocène de la Givè-St. Alban (Izère, France). *Bulletin du Muséum National d'Histoire Naturelle, Paris, Sciences de la Terre*, 57: 297-343.
- EVANS, F.G. 1946. The anatomy and function of the foreleg in salamander locomotion. *Anatomical Record*, 95: 257-281.
- EVANS, S.E., and A.R. MILNER. 1996. A metamorphosed salamander from the early Cretaceous of Las Hoyas, Spain. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 351: 627-646.
- EVANS, S.E., and M. BORSUK-BIALYNICKA. 1998. A stem-group frog from the Early Triassic of Poland. *Acta Palaeontologica Polonica*, 43: 573-580.
- FALCON-LANG, H.G., M.J. BENTON, S.J. BRADY, and S.J. DAVIES. 2006. The Pennsylvanian tropical biome reconstructed from the Joggins Formation of Nova Scotia, Canada. *Journal of the Geological Society, London*, 163: 561-576.
- FASTNACH, M. 2004. An intriguing temnospondyl skeleton from the Lower Triassic of Germany. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 232: 195-213.
- FINDLAY, G.H. 1968. On the structure of the skin in *Uranocentrodon (Rhinesuchus) senekalensis*, Van Hoepen. *Palaeontologia africana*, 11: 15-21.
- FOREMAN, B.C. 1990. A revision of the cranial morphology of the Lower Permian temnospondyl amphibian *Acropylous vorax* Hotton. *Journal of Vertebrate Paleontology*, 10: 390-397.
- FOX, R.C., and M.C. BOWMAN. 1966. Osteology and relationships of *Captorhinus aguti* (Cope) (Reptilia: Captorhinomorpha). *University of Kansas Paleontological Contributions, Vertebrata*, 2: 1-79.
- FRAAS, E. 1889. Die Labyrinthodonten der Schwäbischen Trias. *Palaeontographica*, 36: 1-158.
- FRAAS, E. 1896. Die Schwäbischen Trias-Saurier nach dem material der kgl. NaturalienSammlung in Stuttgart Zusammengestellt. *Königlichen Naturalien-Cabinets in Stuttgart*, 5: 1-158.
- FRAAS, E. 1913. Neue Labyrinthodonten aus der Schwäbischen Trias. *Palaeontographica*, 60: 275-294.
- FRACASSO, M.A. 1983. Cranial osteology, functional morphology, systematics and paleoenvironment of *Limnoscelis paludis* Williston. PhD thesis/dissertation, Yale University, New Haven. 624 pp.
- FRACASSO, M.A. 1987. The braincase of *Limnoscelis paludis* Williston. *Postilla*, 201: 1-22.
- FRANCIS, E.T.B. 1934. *Anatomy of the Salamander*. Clarendon Press, Oxford. 381 pp.
- FREY, E., and S.W. SALISBURY. 2000. The kinematics of aquatic locomotion in *Osteolaemus tetraspis* Cope; pp. 165-179 in G.C. GRIGG, F. SEEBACHER, and C.E. FRANKLIN (eds.), *Crocodylian Biology and Evolution*. Surrey Beatty & Sons, Chipping Norton.
- FRITSCH, A. 1877. Ueber einen neuen Saurier aus den kalksteinen der Permformation (U.Dyas) aus Braunau in Böhmen. *Verlag der königlich-böhmischen Gesellschaft der Wissenschaften*, 1877: 1-3.

- FROLICH, L.M., and A.A. BIEWENER. 1992. Kinematic and electromyographic analysis of the functional role of the body axis during terrestrial and aquatic locomotion in the salamander *Ambystoma tigrinum*. *The Journal of Experimental Biology*, 162: 107-130.
- GARDNER, J.D. 1999. Redescription of the geologically youngest albanerpetontid (? Lissamphibia): *Albanerpeton inexpectatum* Estes and Hoffstetter, 1976, from the Miocene of France. *Annales de Paléontologie (Vertébrés)*, 85: 57-84.
- GARDNER, J.D. 2001. Monophyly and affinities of albanerpetontid amphibians. *Zoological Journal of the Linnean Society*, 131: 309-352.
- GAUDREY, A. 1884. Nouvelle note sur les Reptiles permien. *Bulletin de la Société Géologique de France*, 13: 45-51.
- GAUTHIER, J.A., A.G. KLUGE, and T. ROWE. 1988. The early evolution of the amniota; pp. 103-155 in M.J. BENTON (ed.), *The Phylogeny and Classification of the Tetrapods, Volume 1: Amphibians, Reptiles, Birds. The Systematics Association Special Volume 35A*, Clarendon Press, Oxford.
- GETMANOV, S.N. 1989. Triassic amphibians of the Eastern European Platform (family Benthosuchidae Efremov). *Trudy Paleontologicheskogo Instituta*, 236: 1-102 (In Russian).
- GODFREY, S.J. 1989a. The postcranial skeletal anatomy of the Carboniferous tetrapod *Greererpeton burkemorani* Romer, 1969. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 323: 75-133.
- GODFREY, S.J. 1989b. Ontogenetic changes in the skull of the Carboniferous tetrapod *Greererpeton burkemorani* Romer, 1969. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 323: 135-153.
- GODFREY, S.J. 2003. A diminutive temnospondyl amphibian from the Pennsylvanian of Illinois. *Canadian Journal of Earth Sciences*, 40: 507-514.
- GODFREY, S.J., and R.R. REISZ. 1991. The vertebral morphology of *Gephyrostegus bohemicus* Jaekel 1902, with comments on the atlas-axis complex in primitive tetrapods. *Historical Biology*, 5: 27-36.
- GODFREY, S.J., and S.J. HOLMES. 1995. The Pennsylvanian temnospondyl *Cochleosaurus florensis* Rieppel, from the Lycopsid Stump Fauna at Florence, Nova Scotia. *Breviora*, 500: 1-25.
- GODFREY, S.J., A.R. FIORILLO, and R.L. CARROLL. 1987. A newly discovered skull of the temnospondyl amphibian *Dendrerpeton acadianum* Owen. *Canadian Journal of Earth Sciences*, 24: 796-805.
- GOLDFUSS, G.A. 1847. Beiträge zur Vorweltlichen Fauna des Steinkohlegebirges. *Verhandlungen des naturhistorischen Vereins für rheinlande und Westphalen*. 27 pp.
- GREGORY, J.T. 1950. Tetrapods of the Pennsylvanian nodules from Mazon Creek, Illinois. *American Journal of Science*, 248: 833-873.
- GREGORY, J.T., F.E. PEABODY, and L.I. PRICE. 1956. Revision of the Gymnarthridae, American Permian microsaur. *Bulletin of the Peabody Museum of Natural History, Yale University*, 10: 1-77.
- GREGORY, W.K. 1949. The humerus from fish to man. *American Museum Novitates*, 1400: 1-54.
- GREGORY, W.K., and H.C. RAVEN. 1941. Studies on the origin and early evolution of paired fins and limbs. *Annals of the New York Academy of Sciences*, 42: 273-360.
- GREGORY, W.K., R.W. MINER, and G.K. NOBLE. 1923. The carpus of *Eryops* and the structure of the primitive chiropterygium. *Bulletin of the American Museum of Natural History*, 48: 279-288.

- GROENEWALD, G.H., and J.W. KITCHING. 1995. Biostratigraphy of the *Lystrosaurus* Assemblage Zone; pp. 29-39 in B.S. RUBIDGE (ed.), Biostratigraphy of the Beaufort Group (Karoo Supergroup), South African Committee for Stratigraphy, Biostratigraphic Series No. 1. Council for Geoscience, Pretoria.
- GUBIN, Y.M. 1991. Permian archegosauroid amphibians from the USSR. Trudy Paleontologicheskogo Instituta, 249: 1-142 (In Russian, with English summary).
- GUBIN, Y.M. 1997. Skull morphology of *Archegosaurus decheni* Goldfuss (Amphibia, Temnospondyli) from the Early Permian of Germany. Alcheringa, 21: 103-121.
- GUBIN, Y.M. 2004. A new dvinosaur (Amphibia, Temnospondyli) from the Upper Tatarian of the Middle Volga Region. Paleontological Journal, 38: 190-199.
- HAINES, R.W. 1934. The primitive form of epiphysis in the long bones of tetrapods. Journal of Anatomy, 72: 323-343.
- HAINES, R.W. 1969. Epiphyses and sesamoids; pp. 81-115 in A.D.A. BELLAIRS and T.S. PARSONS (eds.), Morphology A, Biology of the Reptilia, Volume 1. Academic Press, London and New York.
- HAUGHTON, S.H. 1915. Investigations in South African fossil Reptilia and Amphibia (Parts 5-9). Annals of the South African Museum, 12: 65-77.
- HEATON, M.J. 1980. The Cotylosauria: A reconsideration of a group of archaic tetrapods; pp. 497-551 in A.L. PANCHEN (ed.), The Terrestrial Environment and the Origin of Land Vertebrates, Systematics Association Special Volume, Volume 15. Academic Press, London.
- HELLRUNG, H. 1987. Revision von *Hyperokynodon keuperinus* Plieninger (Amphibia: Temnospondyli) aus dem Schilfsandstein von Heilbronn (Baden-Württemberg). Stuttgarter Beiträge zur Naturkunde Serie B (Geologie und Paläontologie), 136: 1-28.
- HELLRUNG, H. 2003. *Gerrothorax pustuloglomeratus*, ein Temnospondyle (Amphibia) mit knöcherner Branchialkammer aus dem Unteren Keuper von Kupferzell (Süddeutschland). Stuttgarter Beiträge zur Naturkunde Serie B (Geologie und Paläontologie), 330: 1-130.
- HENTZ, T.F., and L.F. BROWN. 1987. Wichita Falls-Lawton Sheet. Bureau of Economic Geology, University of Texas.
- HILL, R.V. 2005. Integration of morphological data sets for phylogenetic analysis of Amniota: The importance of integumentary characters and increased taxonomic sampling. Systematic Biology, 54: 530-547.
- HOFFSTETTER, R., and J.P. GASC. 1969. Vertebrae and ribs of modern reptiles; pp. 201-310 in C. GANS, A.A. BELLAIRS, and T.S. PARSONS (eds.), Biology of the Reptilia, Volume 1. Academic Press, London and New York.
- HOLMES, R.B. 1977. The osteology and musculature of the pectoral limb of small captorhinids. Journal of Morphology, 152: 101-140.
- HOLMES, R.B. 1980. *Proterogyrinus scheelei* and the early evolution of the labyrinthodont pectoral limb; pp. 351-376 in A.L. PANCHEN (ed.), The Terrestrial Environment and the Origin of Land Vertebrates. Academic Press, London and New York.
- HOLMES, R.B. 1984. The Carboniferous amphibian *Proterogyrinus scheelei* Romer, and the early evolution of tetrapods. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 306: 431-527.
- HOLMES, R.B. 1989a. The skull and axial skeleton of the Lower Permian anthracosauroid amphibian *Archeria crassidisca* Cope. Palaeontographica Abteilung A-Palaeozoologie-Stratigraphie, 207: 161-206.
- HOLMES, R.B. 1989b. Functional interpretations of the vertebral structure in Paleozoic labyrinthodont amphibians. Historical Biology, 2: 111-124.

- HOLMES, R.B. 2000. Palaeozoic Temnospondyls; pp. 1081-1149 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: The Evolutionary History of Amphibians, Amphibian Biology, Volume 4*. Surrey Beatty & Sons, Chipping Norton.
- HOLMES, R.B. 2003. The hind limb cycle of *Captorhinus aguti* and the step cycle of basal amniotes. *Canadian Journal of Earth Sciences*, 40: 515-526.
- HOLMES, R.B., and R.L. CARROLL. 1977. A temnospondyl amphibian from the Mississippian of Scotland. *Bulletin of the Museum of Comparative Zoology, Harvard University*, 147: 489-511.
- HOLMES, R.B., R.L. CARROLL, and R.R. REISZ. 1998. The first articulated skeleton of *Dendrerpeton acadianum* (Temnospondyli, Dendrerpetontidae) from the Lower Pennsylvanian locality of Joggins Nova Scotia, and a review of its relationships. *Journal of Vertebrate Paleontology*, 18: 64-79.
- HOK, R.W. 1983. *Colosteus scutellatus* (Newberry), a primitive temnospondyl amphibian from the Middle Pennsylvanian of Linton, Ohio. *American Museum Novitates*, 2770: 1-41.
- HOK, R.W. 1993. *Chenoprosopus lewisi*, a new cochleosaurid amphibian (Amphibia: Temnospondyli) from the Permo-Carboniferous of north-central Texas. *Annals of Carnegie Museum*, 62: 273-291.
- HOK, R.W., and D. BAIRD. 1984. *Ichthyacanthus platypus* Cope, 1877, reidentified as the dissorophoid amphibian *Amphibamus lyelli*. *Journal of Paleontology*, 58: 697-702.
- HOPSON, J.A. 1991. Systematics of the non-mammalian Synapsida and implications of evolution in synapsids; pp. 635-693 in H.-P. SCHULTZE and L. TRUEB (eds.), *Origins of the Higher Groups of Tetrapods: Controversy and Consensus*. Cornell University Press, Ithaca, New York.
- HOTTON, N. 1959. *Acropylous vorax*, a new and unusual labyrinthodont from the Kansas Permian. *Journal of Paleontology*, 33: 161-178.
- HOWIE, A.A. 1970. A new capitosaurid labyrinthodont from East Africa. *Palaeontology*, 13: 210-253.
- HOWIE, A.A. 1972a. On a Queensland labyrinthodont; pp. 51-64 in K.A. JOYSEY and T.S. KEMP (eds.), *Studies in Vertebrate Evolution*. Oliver and Boyd, Edinburgh.
- HOWIE, A.A. 1972b. A brachyopid labyrinthodont from the Lower Trias of Queensland. *Proceedings of the Linnean Society of New South Wales*, 9: 268-277.
- HUNT, A.P. 1993. Revision of the Metoposauridae (Amphibia: Temnospondyli) and a description of a new genus from western North America. *Museum of Northern Arizona Bulletin*, 59: 67-97.
- HUNT, A.P., S.P. LUCAS, and D.S. BERMAN. 1996. A new amphibamid (Amphibia: Temnospondyli) from the Late Pennsylvanian (Middle Stephanian) of central New Mexico, USA. *Paläontologische Zeitschrift*, 70: 555-565.
- HUXLEY, T.H. 1859. On some amphibian and reptilian remains from South Africa and Australia. *Quarterly Journal of the Geological Society of London*, 15: 642-649.
- HUXLEY, T.H. 1885. On vertebrate fossil from the Panchet rocks, near Raniganj, Bengal. *Palaeontologica Indica*, 4: 1-25.
- IVACHNENKO, M.F. 1978. Urodelans from the Triassic and Jurassic of Soviet Central Asia. *Paleontological Journal*, 1978: 362-368.
- JAEGER, G.F. 1828. Über die Fossile Reptilien, Welche in Württemberg Aufgefunden Worden Sind. J. B. Metzger, Stuttgart. 48 pp.
- JAEKEL, O. 1896. Die organisation von *Archegosaurus*. *Deutsche Geologische Gesellschaft Zeitschrift*, 48: 505-521.

- JAEKEL, O. 1902. Ueber einen neuen paläozoischen Tetrapodentypus: *Gephyrostegus bohemicus* n. g. n. sp. Zeitschrift der Deutschen Geologischen Gesellschaft, 54: 127-132.
- JAEKEL, O. 1903. Über *Ceraterpeton*, *Diceratosaurus* und *Diplocaulus*. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, 1: 109-134.
- JAEKEL, O. 1914. Über die Wirbeltierfunde in der obern Trias von Halberstadt. Paläontologische Zeitschrift, 1: 155-215.
- JAEKEL, O. 1922. Nues über Hemispondyla. Paläontologische Zeitschrift, 5: 1-25.
- JANVIER, P. 1992. Les écailles des Trématosaurs (Tetrapoda, Temnospondyli): nouvelles données sur les Trématosaures du Trias inférieur de Madagascar. Bulletin du Muséum National d'Histoire Naturelle, Paris, 14: 3-13.
- JARVIK, E. 1944. On the exoskeletal shoulder girdle of telostomian fishes, with special reference to *Eusthenopteron foordi* Whiteaves. Kungliga Svenska Vetenskapsakademiens Handlingar, 21: 1-32.
- JARVIK, E. 1952. On the fish-like tail in the ichthyostegid stegocephalians with descriptions of a new stegocephalian and a new crossopterygian from the Upper Devonian of East Greenland. Meddelelser om Grønland, 114: 1-90.
- JARVIK, E. 1955. The oldest tetrapods and their forerunners. Scientific Monthly, 80: 141-154.
- JARVIK, E. 1980. Structure of a Devonian fish: *Eusthenopteron foordi*; pp. 99-194 in, Basic Structure and Evolution of Vertebrates, Volume 1. Academic Press, New York.
- JARVIK, E. 1996. The Devonian tetrapod *Ichthyostega*. Fossils and Strata, 40: 1-213.
- JEANNOT, A.M. 2004. Cranial anatomy of the Early Triassic temnospondyl *Lydekkerina huxleyi* (Stereospondyli: Lydekkerinidae) and a comparison with the South African lydekkerinids. Masters thesis/dissertation, Faculty of Science, University of the Witwatersrand, Johannesburg.
- JENKINS JNR, F.A., and D.M. WALSH. 1993. An Early Jurassic caecilian with limbs. Nature, 365: 246-250.
- JUPP, R., and A.A. WARREN. 1986. The mandibles of the Triassic labyrinthodont amphibians. Alcheringa, 10: 99-124.
- KISSEL, R.A., D.W. DILKES, and R.R. REISZ. 2002. *Captorhinus magnus*, a new captorhinid (Amniota: Eureptilia) from the Lower Permian of Oklahoma, with new evidence on the homology of the astragalus. Canadian Journal of Earth Sciences, 39: 1363-1372.
- KITCHING, J.W. 1957. A new small stereospondylous labyrinthodont from the Triassic beds of South Africa. Palaeontologia africana, 5: 67-82.
- KITCHING, J.W. 1978. The stratigraphic distribution and occurrence of South African fossil Amphibia in the Beaufort beds. Palaeontologia africana, 21: 101-12.
- KLEMBARA, J. 1996. The first record of subdivided clavicles and interclavicle in the seymouriamorph tetrapod *Discosauriscus* from the Lower Permian of the Boskovic Furrow (Czech Republic). Journal of Vertebrate Paleontology, 16: 787-790.
- KLEMBARA, J. 1997. The cranial anatomy of *Discosauriscus* Kuhn, a seymouriamorph tetrapod from the Lower Permian of the Boskovic Furrow. Philosophical Transactions of the Royal Society B: Biological Sciences, 352: 257-302.
- KLEMBARA, J. 2005. A new discosauriscid seymouriamorph tetrapod from the Lower Permian of Moravia, Czech Republic. Acta Palaeontologica Polonica, 50: 25-48.
- KLEMBARA, J., and I. BARTIK. 2000. The postcranial skeleton of *Discosauriscus* Kuhn, a seymouriamorph tetrapod from the Lower Permian of the Boskovic Furrow (Czech Republic). Transactions of the Royal Society of Edinburgh: Earth Sciences, 90: 287-316.

- KLEMBARA, J., and M. RUTA. 2004a. The seymouriamorph tetrapod *Utegenia shpinari* from the ?Upper Carboniferous-Lower Permian of Kazakhstan. Part II: Postcranial anatomy and relationships. Transactions of the Royal Society of Edinburgh: Earth Sciences, 94: 75-93.
- KLEMBARA, J., and M. RUTA. 2004b. The seymouriamorph tetrapod *Utegenia shpinari* from the ?Upper Carboniferous-Lower Permian of Kazakhstan. Part II: Cranial anatomy and ontogeny. Transactions of the Royal Society of Edinburgh: Earth Sciences, 94: 45-74.
- KLEMBARA, J., T. MARTENS, and I. BARTIK. 2001. The postcranial remains of a juvenile seymouriamorph tetrapod from the Lower Permian Rotliegend of the Tambach Formation of central Germany. Journal of Vertebrate Paleontology, 21: 521-527.
- KLEMBARA, J., D.S. BERMAN, A.C. HENRICI, and A. ČERŇASKÝ. 2006. New structures and reconstructions of the skull of the seymouriamorph *Seymouria sanjuanensis*. Annals of Carnegie Museum, 74: 217-224.
- KONZHUKOVA, E.D. 1955a. Permian and Triassic labyrinthodonts from the Volga Region and Cis-Urals. Trudy Paleontologicheskogo Instituta, 49: 5-88 (In Russian).
- KONZHUKOVA, E.D. 1955b. *Platyops stuckenbergi* Trautsch.- an archeosaurid from the lower zone of the Upper Permian in the Ural region. Trudy Paleontologicheskogo Instituta, 49: 89-127 (In Russian).
- KUHN, O. 1942. Über *Cyclotosaurus hemprichi* Kuhn und einige weitere Tetrapodenreste aus dem Keuper von Halberstadt. Beiträge zur Geologie von Thüringen, 6: 181-202.
- KUHN, O. 1961. Die Familien der Rezenten und Fossilien Amphibien und Reptilien. Druckhaus Meisenbach and Oeben KG, Bamberg. 79 pp.
- LAERM, J. 1976. The development, function, and design of amphicoelous vertebrae in teleost fishes. Zoological Journal of the Linnean Society, 58: 237-254.
- LANE, H.H. 1947. New mid-Pennsylvanian reptiles from Kansas. Transactions of the Kansas Academy of Science, 47: 381-390.
- LANGSTON, W. 1953. Permian amphibians from New Mexico. University of California Publications, Bulletin of the Department of Geological Sciences, 29: 349-416.
- LATIMER, E.M., P.J. HANCOX, B.S. RUBIDGE, M.A. SHISHKIN, and J.W. KITCHING. 2002. The temnospondyl amphibian *Uranocentrodon*, another victim of the end-Permian extinction event. South African Journal of Science, 98: 191-193.
- LAURIN, M. 1995. Comparative cranial anatomy of *Seymouria sanjuanensis* (Tetrapoda: Batrachosauria) from the Lower Permian of Utah and New Mexico. PaleoBios, 16: 1-8.
- LAURIN, M. 1996. A redescription of the cranial anatomy of *Seymouria baylorensis*, the best known seymouriamorph. PaleoBios, 17: 1-16.
- LAURIN, M. 1998a. The importance of global parsimony and historical bias in understanding tetrapod evolution: Part I. Systematics, middle ear evolution and jaw suspension. Annales des Sciences Naturelles, Zoologie, Paris, 13ème Série, 19: 1-42.
- LAURIN, M. 1998b. A reevaluation of the origin of pentadactyly. Evolution, 52: 1476-1482.
- LAURIN, M. 1998c. The importance of global parsimony and historical bias in understanding tetrapod evolution: Part II. Vertebral centrum, costal ventilation, and paedomorphosis. Annales des Sciences Naturelles, Zoologie, Paris, 13ème Série, 19: 99-114.
- LAURIN, M. 2002. Tetrapod phylogeny, amphibian origins, and the definition of the name Tetrapoda. Systematic Biology, 51: 364-369.

- LAURIN, M., and R.R. REISZ. 1995. A reevaluation of early amniote phylogeny. *Zoological Journal of the Linnean Society*, 113: 165-223.
- LAURIN, M., and R.R. REISZ. 1997. A new perspective on tetrapod phylogeny; pp. 9-59 in S. SUMIDA and K. MARTIN (eds.), *Amniote Origins: Completing the Transition to Land*. Academic Press, London.
- LAURIN, M., and R.R. REISZ. 1999. A new study of *Solenodosaurus janenschi*, and a reconsideration of amniote origins and stegocephalian evolution. *Canadian Journal of Earth Sciences*, 36: 1239-1255.
- LAURIN, M., and R. SOLER-GIJÓN. 2001. The oldest stegocephalian from the Iberian Peninsula: evidence that temnospondyls were euryhaline. *Comptes Rendus de l'Académie des Sciences de Paris, Sciences de la vie*, 324: 495-501.
- LAURIN, M., and J.S. ANDERSON. 2004. Meaning of the name Tetrapoda in the scientific literature: An exchange. *Systematic Biology*, 53: 68-80.
- LAURIN, M., and R. SOLER-GIJÓN. 2006. The oldest known stegocephalian (Sarcopterygii: Temnospondyli) from Spain. *Journal of Vertebrate Paleontology*, 26: 284-299.
- LAURIN, M., M. GIRONDOT, and A. DE RICQLÈS. 2000. Early tetrapod evolution. *Tree*, 15: 118-123.
- LEBEDEV, O.A. 1984. First discovery of a Devonian tetrapod in USSR. *Doklady Akademii Nauk SSSR*, 278: 1470-1473.
- LEBEDEV, O.A., and J.A. CLACK. 1993. Upper Devonian tetrapods from Andreyevka, Tula Region, Russia. *Palaeontology*, 36: 721-734.
- LEBEDEV, O.A., and M.I. COATES. 1995. The postcranial skeleton of the Devonian tetrapod *Tulerpeton curtum* Lebedev. *Zoological Journal of the Linnean Society*, 114: 307-348.
- LEHMAN, J.P. 1961. Les Stégocéphales du Trias de Madagascar. *Annales de Paléontologie (Vertébrés)*, 47: 109-154.
- LEWIS, G.E., and P.P. VAUGHN. 1965. Early Permian vertebrates from the Cutler Formation of the Placerville area, Colorado. *Contributions to Paleontology, Geological Survey Professional Paper*, 503-C: 1-46.
- LOHMANN, U., and S. SACHS. 2001. Observations on the postcranial morphology, ontogeny and palaeobiology of *Sclerocephalus hauseri* (Amphibia: Actinodontidae) from the Lower Permian of Southwest Germany. *Memoirs of the Queensland Museum*, 46: 771-781.
- LOMBARD, R.E., and J.R. BOLT. 1988. Evolution of the stapes in Paleozoic tetrapods: Conservative and radical hypotheses; pp. 37-67 in B. FRITZSCH (ed.), *The Evolution of the Amphibian Auditory System*. John Wiley and Sons, Chichester.
- LOMBARD, R.E., and J.R. BOLT. 1995. A new primitive tetrapod, *Whatcheeria deltae*, from the Lower Carboniferous of Iowa. *Palaeontology*, 38: 471-494.
- LONG, J.A., and M.S. GORDON. 2004. The greatest step in vertebrate history: A paleobiological review of the fish-tetrapod transition. *Physiological and Biochemical Zoology*, 77: 700-719.
- LYDEKKER, R. 1885. The labyrinthodont from the Bijori Group. *Palaeontologica Indica*, 4: 3-24.
- LYDEKKER, R. 1889. Notes on the occurrence of a species of *Bothriceps* in the Karoo System of South Africa. *Annals and Magazine of Natural History*, 6: 475-476.
- MAISCH, M.W., and A.T. MATZKE. 2005. Temnospondyl amphibians from the Jurassic of the Southern Junggar Basin (NW China). *Paläontologische Zeitschrift*, 79: 285-301.
- MAISCH, M.W., A.T. MATZKE, and G.E. SUN. 2004. A relict trematosauroid (Amphibia: Temnospondyli) from the Middle Jurassic of the Junggar Basin (NW China). *Naturwissenschaften*, 91: 589-593.

- MARSH, O.C. 1878. Notice of new fossil reptiles. *American Journal of Science*, 15: 409-411.
- MARSICANO, C.A. 1993. Postcranial skeleton of a brachyopoid (Amphibia, Temnospondyli) from the Triassic of Mendoza (Argentina). *Alcheringa*, 17: 185-197.
- MARSICANO, C.A. 1999. Chigutisaurid amphibians from the Late Triassic of Argentina and their phylogenetic relationships. *Palaeontology*, 42: 545-565.
- MAZIN, J.-M., and P. JANVIER. 1983. L'anatomie de *Lyrocephaliscus euri* (Wiman), Trématosaure du Trias inférieur du Spitsberg: arrière-Crâne, squelette axial et ceinture scapulaire. *Palaeovertebrata*, 13: 13-31.
- MCGOWAN, G.J., and S.E. EVANS. 1995. Albanerpetontid amphibians from the Early Cretaceous of Spain. *Nature*, 370: 134-136.
- MCKINNEY, M.L., and K.J. MCNAMARA. 1991. *Heterochrony: The Evolution of Ontogeny*. Plenum Press, New York. 437 pp.
- MCNAMARA, K.J. 1986. A guide to the nomenclature of heterochrony. *Journal of Paleontology*, 60: 4-13.
- MCNAMARA, K.J. 1988. The abundance of heterochrony in the fossil record; pp. 287-325 in M.L. MCKINNEY (ed.), *Heterochrony in Evolution: A Multidisciplinary Approach*. Plenum Press, New York.
- MECKERT, D. 1993. The pectoral girdle of *Sclerocephalus haeuseri* Goldfuss, 1847 in comparison with *Eryops* Cope, 1877 (Eryopoida, Amphibia, Permian). *Palaeontographica Abteilung A- Paläozoologie-Stratigraphie*, 229: 113-140 (In German).
- MEYER, H. 1857. Reptilien aus der Steinkohlen-Formation in Deutschland. *Palaeontographica*, 6: 59-218.
- MILNER, A.C. 1980a. A review of the Nectridea; pp. 377-405 in A.L. PANCHEN (ed.), *The Terrestrial Environment and the Origin of Land Vertebrates*. Academic Press, London and New York.
- MILNER, A.C., and W. LINDSAY. 1998. Postcranial remains of *Baphetes* and their bearing on the relationships of the Baphetidae (= Loxammatidae). *Zoological Journal of the Linnean Society*, 122: 211-235.
- MILNER, A.R. 1978. A reappraisal of the early Permian amphibians *Memonomenos dyscriton* and *Cricotillus brachydens*. *Palaeontology*, 21: 667-686.
- MILNER, A.R. 1980b. The temnospondyl amphibian *Dendrerpeton* from the Upper Carboniferous of Ireland. *Palaeontology*, 23: 125-141.
- MILNER, A.R. 1982a. Small temnospondyl amphibians from the Middle Pennsylvanian of Illinois. *Palaeontology*, 25: 635-664.
- MILNER, A.R. 1982b. A small temnospondyl amphibian from the Lower Pennsylvanian of Nova Scotia. *Journal of Paleontology*, 56: 1302-1305.
- MILNER, A.R. 1985a. On the identity of the amphibian *Hesperoherpeton garnettense* from the Upper Pennsylvanian of Kansas. *Palaeontology*, 28: 767-776.
- MILNER, A.R. 1985b. On the identity of *Trematopsis seltini* (Amphibia: Temnospondyli) from the Lower Permian of Texas. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 1985: 357-367.
- MILNER, A.R. 1989. The relationships of the eryopoid-grade temnospondyl amphibians from the Permian of Europe. *Acta Musei Reginahradecensis SA: Scientiae Naturales*, 22: 131-137.
- MILNER, A.R. 1990. The radiations of temnospondyl amphibians; pp. 321-349 in P.D. TAYLOR and G.P. LARWOOD (eds.), *Major Evolutionary Radiations*. Clarendon Press, Oxford.

- MILNER, A.R. 1991: Lydekkerinid temnospondyls: Relationships and "extinction". 49-50. Fifth Symposium on Mesozoic Terrestrial Ecosystems and Biota, extended abstracts, Oslo, 1991.
- MILNER, A.R. 1996. Systematics of the genus *Eryops* (Amphibia: Temnospondyli) and its possible biostratigraphical value. *Journal of Vertebrate Paleontology*, 16: 53A.
- MILNER, A.R. 2000. Mesozoic and Tertiary Caudata and Albanerpetontidae; pp. 1412-1444 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: the Evolutionary History of Amphibians, Amphibian Biology, Volume 4*. Surrey Beatty & Sons, Chipping Norton.
- MILNER, A.R. 2003. *Longiscitula houghae* de Mar, 1966 (Amphibia: Temnospondyli), a junior synonym of *Dissorophus multicinctus* Cope, 1985. *Journal of Vertebrate Paleontology*, 23: 941-944.
- MILNER, A.R., and S.E.K. SEQUEIRA. 1994. The temnospondyl amphibians from the Viséan of East Kirkton, West Lothian, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84: 331-361.
- MILNER, A.R., and S.E.K. SEQUEIRA. 1998. A cochleosaurid temnospondyl amphibian from the Middle Pennsylvania of Linton, Ohio, U.S.A. *Zoological Journal of the Linnean Society*, 122: 261-290.
- MILNER, A.R., and S.E.K. SEQUEIRA. 2003. Revision of the amphibian genus *Limnerpeton* (Temnospondyli) from the Upper Carboniferous of the Czech Republic. *Acta Palaeontologica Polonica*, 48: 123-141.
- MILNER, A.R., C. DUFFIN, and D. DELSATE. 1995. Plagiosaurid and capitosaurid amphibian material from the Late Triassic of Medernach, Grand-Duchy of Luxembourg: Preliminary note. *Bulletin de la Société Belge de Géologie*, 104: 43-53.
- MILNER, A.R., B.G. GARDINER, N.C. FRASER, and M.A. TAYLOR. 1990. Vertebrates from the middle Triassic Otter Sandstone formation of Devon. *Palaeontology*, 33: 873-892.
- MINER, R.W. 1925. The pectoral limb of *Eryops* and other primitive tetrapods. *Bulletin of the American Museum of Natural History*, 51: 145-312.
- MODESTO, S.P. 1998. New information on the skull of the Early Permian reptile *Captorhinus aguti*. *PaleoBios*, 18: 21-35.
- MOODIE, R.L. 1910. The temnospondylous amphibia and a new species of *Eryops* from the Permian of Oklahoma. *Kansas University Science Bulletin*, 5: 235-253.
- MOULTON, J.M. 1974. A description of the vertebral column of *Eryops* based on the notes and drawings of A. S. Romer. *Breviora*, 428: 1-10.
- MOUSTAFA, Y.S. 1955a. The skeletal structure of *Parioxys ferricolus*, Cope. *Bulletin of the Institute of Egypt*, 36: 41-76.
- MOUSTAFA, Y.S. 1955b. The affinities of *Parioxys ferricolus* and the phylogeny of the 'eryopsoid' amphibians. *Bulletin of the Institute of Egypt*, 36: 77-104.
- NESSOV, L.A. 1990. A Late Jurassic labyrinthodont (Amphibia, Labyrinthodontia) among other relict groups of vertebrates from Northern Fergana. *Paleontological Journal*, 1990: 83-90 (In Russian).
- NIELSEN, E. 1954. *Tupilakosaurus heilmani* n. g. et n. sp. an interesting batrachomorph from the Triassic of East Greenland. *Meddelelser om Grønland*, 72: 1-33.
- NIELSEN, E. 1967. New observations on the skull roof of the holotype of *Tupilakosaurus heilmani* Nielsen. *Zoological Journal of the Linnean Society*, 47: 225-229.
- NIKITIN, V.B. 1995. Morphology of the postcranial skeleton of *Dvinosaurus* (Amphibia, Temnospondyli). 1. The structural diversity of the anterior limbs. *Paleontological Journal*, 29: 96-106.

- NIKITIN, V.B. 1997. On the structure of the postcranial skeleton in *Dvinosaurus* (Amphibia, Temnospondyli). 2, Scapulocoracoid. *Paleontological Journal*, 31: 546-551.
- NILSSON, T. 1937. Ein Plagiosauride aus dem Rhät Schonens. Beiträge zur Kenntnis der Organisation der Stegocephalengruppe Brachyopoidei. *Meddelelser Lunds Geologisk-Mineralogisk Institut*, 34: 1-75.
- NILSSON, T. 1939. Cleithrum und humerus der Stegocephalen und rezenten Amphibien auf grund neuer funde von *Plagiosaurus depressus* Jaekel. *Acta Universitatis Lundensis*, 35: 1-39.
- NILSSON, T. 1943. Über einige postkraniale Skeleton-reste der triassischen Stegocephalen Spitzbergens. *Bulletin of the Geological Institute, University of Uppsala*, 30: 227-271.
- NILSSON, T. 1944. On the morphology of the lower jaw of Stegocephalia with special reference to Eotriassic stegocephalians from Spitsbergen. II General part. *Kungliga Svenska Vetenskapsakademiens Handlingar*, 21: 1-70.
- NILSSON, T. 1946a. A new find of *Gerrothorax rhaeticus* Nilsson, a plagiosaurid from the Rhaetic of Scania. *Lunds Universitets Arsskrift N F*, 42: 1-42.
- NILSSON, T. 1946b. On the genus *Peltostega* Wiman and the classification of the Triassic stegocephalians. *Kungliga Svenska Vetenskapsakademiens Handlingar*, 23: 3-55.
- O'KEEFE, F.R., C.A. SIDOR, H.C.E. LARSSON, A. MAGA, and O. IDE. 2005. The vertebrate fauna of the Upper Permian of Niger: III, Morphology and ontogeny of the hindlimb of *Moradisaurus grandis* (Reptilia, Captorhinidae). *Journal of Vertebrate Paleontology*, 25: 309-319.
- O'KEEFE, F.R., C.A. SIDOR, H.C.E. LARSSON, A. MAGA, and O. IDE. 2006. Evolution and homology of the astragalus in early amniotes: New fossils, new perspectives. *Journal of Morphology*, 267: 415-425.
- OCHEV, V.G. 1972. *Capitosaurid Labyrinthodonts from the Southeastern European part of the U.S.S.R.* Saratov State University Press, Saratov. 268 pp (In Russian).
- OLSEN, R. 1951. Size relations in the limb bones of *Buettneria*. *Journal of Paleontology*, 25: 520-524.
- OLSON, E.C. 1936a. The ilio-sacral attachment of *Eryops*. *Journal of Paleontology*, 10: 648-651.
- OLSON, E.C. 1936b. The dorsal axial musculature of certain primitive Permian tetrapods. *Journal of Morphology*, 59: 265-311.
- OLSON, E.C. 1941. The family Trematopsidae. *Journal of Geology*, 49: 149-176.
- OLSON, E.C. 1947. The family Diadectidae and its bearing on the classification of reptiles. *Fieldiana: Geology*, 11: 1-53.
- OLSON, E.C. 1956. Fauna of the Vale and Choza: 10. *Trimerorhachis*: Including a revision of pre-Vale species. *Fieldiana: Geology*, 10: 225-274.
- OLSON, E.C. 1970. New and little known genera and species of vertebrates from the Lower Permian of Oklahoma. *Fieldiana: Geology*, 18: 359-434.
- OLSON, E.C. 1972. *Fayella chickashaensis*, the Dissorophoidea and the Permian terrestrial radiations. *Journal of Paleontology*, 46: 104-114.
- OLSON, E.C. 1976. The exploitation of land by early tetrapods; pp. 1-30 in A.D.A. BELLAIRS and C.B. COX (eds.), *Morphology and Biology of Reptiles*, Volume 3. Linnean Society Symposium Series.
- OLSON, E.C. 1979. Aspects of the biology of *Trimerorhachis* (Amphibia: Temnospondyli). *Journal of Paleontology*, 53: 1-17.
- OLSON, E.C., and P.P. VAUGHN. 1970. The changes of terrestrial vertebrates and climates during the Permian of North America. *Forma et functio*, 3: 113-138.

- OLSON, E.C., and G.E. LAMMERS. 1976. A new brachyopoid amphibian; pp. 45-57 in C.S. CHURCHER (ed.), *Athlon: Essays in Palaeontology in Honour of Loris Shano Russell*. Miscellaneous Publication of the Royal Ontario Museum, Toronto.
- ORTNER, D.J. 2003. *Identification of Pathological Conditions in Human Skeletal Remains*. Second Edition. Academic Press, San Diego. 645 pp.
- OWEN, R. 1853. Notes on the above-described fossil remains. *Quarterly Journal of the Geological Society of London*, 9: 66-67.
- PAGE, R.D.M. 1996. TREEVIEW: An application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences*, 12: 357-358.
- PAGE, R.D.M. 2001. NEXUS Data Editor. 0.5.0. <http://taxonomy.zoology.gla.ac.uk/rod/NDE/nde.html>, Glasgow.
- PANCHEN, A.L. 1959. A new armoured amphibian from the Upper Permian of East Africa. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 242: 207-281.
- PANCHEN, A.L. 1966. The axial skeleton of the labyrinthodont *Eogyrinus attheyi*. *Journal of Zoology, London*, 150: 199-222.
- PANCHEN, A.L. 1967. The homologies of the labyrinthodont centrum. *Evolution*, 21: 24-33.
- PANCHEN, A.L. 1970. Anthracosauria; in O. KUHN (ed.), *Handbuch der Paläoherpetology*, Volume 5A. Gustav Fischer Verlag, Stuttgart. 84 pp.
- PANCHEN, A.L. 1972. The skull and skeleton of *Eogyrinus attheyi* Watson (Amphibia: Labyrinthodontia). *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 263: 279-326.
- PANCHEN, A.L. 1975. A new genus and species of anthracosaur amphibian from the Lower Carboniferous of Scotland and the status of *Pholidogaster pisciformis* Huxley. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 269: 581-637.
- PANCHEN, A.L. 1977a. The origin and early evolution of tetrapod vertebrae; pp. 289-318 in S.M. ANDREWS, R.S. MILES, and A.D. WALKER (eds.), *Problems in Vertebrate Evolution*, Linnean Society Symposium Series 4.
- PANCHEN, A.L. 1977b. On *Anthracosaurus russelli* Huxley (Amphibia: Labyrinthodontia) and the family Anthracosauridae. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 279: 447-512.
- PANCHEN, A.L. 1980. The origin and relationships of Anthracosauria amphibia from the Late Palaeozoic; pp. 319-350 in A.L. PANCHEN (ed.), *The Terrestrial Environment and the Origin of Land Vertebrates*. Academic Press, London.
- PANCHEN, A.L. 1981. A jaw ramus of the Coal Measure amphibian *Anthracosaurus* from Northumberland. *Palaeontology*, 24: 85-92.
- PANCHEN, A.L. 1985. On the amphibian *Crassigyrinus scoticus* Watson from the Carboniferous of Scotland. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 309: 505-568.
- PANCHEN, A.L., and T.R. SMITHSON. 1988. The relationships of the earliest tetrapods; pp. 1-32 in M.J. BENTON (ed.), *The Phylogeny and Classification of the Tetrapods*, Volume 1, Amphibians, Reptiles, Birds. The Systematics Association Special Volume 35A, Clarendon Press, Oxford.
- PANCHEN, A.L., and T.R. SMITHSON. 1990. The pelvic girdle and hind limb of *Crassigyrinus scoticus* (Lydekker) from the Scottish Carboniferous and the origin of the tetrapod limb skeleton. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81: 31-44.

- PARRINGTON, F.R. 1948. Labyrinthodonts from South Africa. *Proceedings of the Zoological Society of London*, 118: 426-445.
- PARRINGTON, F.R. 1967. The vertebrae of early tetrapods. *Colloques Internationaux du Centre National de la Recherche Scientifique*, 163: 269-279.
- PARRISH, W.C. 1978. Paleoenvironmental analysis of a Lower Permian bonebed and adjacent sediments, Wichita County, Texas. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 24: 209-237.
- PATON, R.L., T.R. SMITHSON, and J.A. CLACK. 1999. An amniote-like skeleton from the early Carboniferous of Scotland. *Nature*, 378: 508-513.
- PAWLEY, K. in press. The postcranial skeleton of *Trimerorhachis insignis* Cope 1878 (Temnospondyli: Trimerorhachidae) a plesiomorphic, secondarily aquatic temnospondyl from the Lower Permian of North America. *Journal of Paleontology*.
- PAWLEY, K., and A.A. WARREN. 2002. The postcranial skeleton of temnospondyl amphibians. Sixty-second Annual Meeting of the Society of Vertebrate Paleontology, 22: 95A.
- PAWLEY, K., and A.A. WARREN. 2004. Immaturity vs. paedomorphism: A rhinesuchid stereospondyl postcranium from the Upper Permian of South Africa. *Palaeontologia africana*, 40: 1-10.
- PAWLEY, K., and A.A. WARREN. 2005. A terrestrial stereospondyl from the Lower Triassic of South Africa: The postcranial skeleton of *Lydekkerina huxleyi* (Amphibia: Temnospondyli). *Palaeontology*, 48: 281-298.
- PAWLEY, K., and A.A. WARREN. 2006. The appendicular skeleton of *Eryops megacephalus* (Temnospondyli: Eryopoidea) from the Lower Permian of North America. *Journal of Paleontology*, 80: 561-580.
- PEABODY, F.E. 1952. *Petrolacosaurus kansensis* Lane, a Pennsylvanian reptile from Kansas. *University of Kansas Paleontological Contributions, Vertebrata*, 1: 1-41.
- PIVETEAU, J. 1928. Etudes sur quelque amphibiens et reptiles fossiles (Deuxième Memoire). *Annales de Paléontologie*, 17: 23-29.
- PRIDMORE, P.A. 1995. Submerged walking in the epaulette shark *Hemiscyllium ocellatum* (Hemiscyllidae) and its implications for locomotion in rhipidistian fishes and early tetrapods. *Zoology (Jena, Germany)*, 98: 278-297.
- RAGE, J.-C., and Z. ROCEK. 1989. Redescription of *Triadobatrachus massinoti* (Piveteau 1936), an anuran amphibian from the early Triassic. *Palaeontographica Abteilung A- Palaeozoologie-Stratigraphie*, 206: 1-16.
- REILLY, S.M., and J.A. ELIAS. 1998. Locomotion in *Alligator mississippiensis*: Kinematic effects of speed and posture and their relevance to the sprawling-to-erect paradigm. *The Journal of Experimental Biology*, 201: 2559-2574.
- REISZ, R.R. 1977. *Petrolacosaurus*, the oldest known diapsid reptile. *Science*, 196: 1091-1093.
- REISZ, R.R. 1981. A diapsid reptile from the Pennsylvanian of Kansas. *Special Publication of the Museum of Natural History, University of Kansas*, 7: 1-74.
- RETALLACK, G.J., R.M.H. SMITH, and P.D. WARD. 2003. Vertebrate extinctions across Permian-Triassic boundary in Karoo Basin, South Africa. *Bulletin of the Geological Society of America*, 115: 1133-1152.
- RIABININ, A.N. 1930. A labyrinthodont stegocephalian *Wetlugasaurus angustifrons* nov. gen., nov. sp. from the Lower Triassic of Vetluga-land in northern Russia. *Annals of the Russian Paleontological Society*, 8: 49-76 (In Russian).
- RIEPPPEL, O. 1980. The edopoid amphibian *Cochleosaurus* from the middle Permian of Nova Scotia. *Palaeontology*, 23: 143-149.

- RIEPEL, O. 1993. Studies on skeleton formation in reptiles. IV. The homology of the reptilian (amniote) astragalus revisited. *Journal of Vertebrate Paleontology*, 13: 31-47.
- ROBINSON, J., P.E. AHLBERG, and G. KOENTAGES. 2005. The braincase and middle ear of *Dendrorepeton acadianum* (Tetrapoda: Temnospondyli). *Zoological Journal of the Linnean Society*, 143: 577-597.
- ROCKWELL, H., F.G. EVANS, and H.C. PHEASANT. 1938. The comparative morphology of the vertebrate spinal column, its form as related to function. *Journal of Morphology*, 63: 87-117.
- ROMER, A.S. 1922. The locomotor apparatus of certain primitive and mammal-like reptiles. *Bulletin of the American Museum of Natural History*, 46: 517-606.
- ROMER, A.S. 1928. Vertebrate faunal horizons in the Texas Permo-Carboniferous red beds. *University of Texas Bulletin, Contributions to Geology*, 2801: 67-108.
- ROMER, A.S. 1935. Early history of the Texas redbeds vertebrates. *Bulletin of the Geological Society of America*, 46: 1597-1658.
- ROMER, A.S. 1939. Notes on branchiosaurs. *American Journal of Science*, 237: 748-61.
- ROMER, A.S. 1944. The Permian cotylosaur *Diadectes tenuitectes*. *American Journal of Science*, 242: 139-144.
- ROMER, A.S. 1946. The primitive reptile *Limnoscelis* restudied. *American Journal of Science*, 244: 149-188.
- ROMER, A.S. 1947. Review of the Labyrinthodontia. *Bulletin of the Museum of Comparative Zoology, Harvard College*, 99: 1-352.
- ROMER, A.S. 1948. Relative growth in pelycosaurian reptiles; pp. 45-55 in A.L. DU TOIT (ed.), Robert Broom Commemorative Volume, Special Publications of the Royal Volume Special Publication. Royal Society of South Africa, Cape Town.
- ROMER, A.S. 1956. *The Osteology of the Reptiles*. University of Chicago Press, Chicago. 722 pp.
- ROMER, A.S. 1957. The appendicular skeleton of the Permian embolomorous amphibian *Archeria*. *Contributions from the Museum of Paleontology, University of Michigan*, 13: 103-159.
- ROMER, A.S. 1969a. The cranial anatomy of the Permian amphibian *Pantylus*. *Breviora*, 314: 1-37.
- ROMER, A.S. 1969b. A temnospondylous labyrinthodont from the Lower Carboniferous. *Kirtlandia*, 6: 1-20.
- ROMER, A.S. 1970. A new Anthracosauria labyrinthodont *Proterogyrinus scheelei*, from the Lower Carboniferous. *Kirtlandia*, 10: 1-16.
- ROMER, A.S. 1974. The stratigraphy of the Permian Wichita redbeds of Texas. *Breviora*, 427: 1-31.
- ROMER, A.S., and F. BYRNE. 1931. The pes of *Diadectes*: Notes on the primitive tetrapod limb. *Palaeobiologica*, 4: 25-48.
- ROMER, A.S., and L.W. PRICE. 1940. Review of the Pelycosauria, *Geological Society of America Special Papers, Volume 28*. Waverly Press, Baltimore, Maryland. 538 pp.
- ROMER, A.S., and R.V. WITTER. 1941. The skin of the rhachitomous amphibian *Eryops*. *American Journal of Science*, 139: 822-824.
- ROMER, A.S., and R.V. WITTER. 1942. *Edops*, a primitive rhachitomous amphibian from the Texas red beds. *Journal of Geology*, 50: 925-960.
- ROY CHOWDERY, T. 1965. A new metoposaurid amphibian from the Upper Triassic Maleri formation of central India. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 250: 1-52.

- RUTA, M., A.R. MILNER, and M.I. COATES. 2002. The tetrapod *Caerorhachis bairdi* Holmes and Carroll from the Lower Carboniferous of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 92: 229-261.
- RUTA, M., M.I. COATES, and D.L.J. QUICKE. 2003. Early tetrapod relationships revisited. *Biological Reviews of the Cambridge Philosophical Society*, 78: 251-345.
- SALISBURY, S.W., and E. FREY. 2000. A biomechanical transformation model for the evolution of semi-spheroidal articulations between adjoining vertebral bodies in crocodylians; pp. 85-134 in G.C. GRIGG, F. SEEBACHER, and C.E. FRANKLIN (eds.), *Crocodylian Biology and Evolution*. Surrey Beatty & Sons, Chipping Norton.
- SANDER, P.M. 1987. Taphonomy of the Lower Permian Geraldine bonebed in Archer County, Texas. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 61: 221-236.
- SANDER, P.M. 1989. Early Permian depositional environments and pond bonebeds in central Archer County, Texas. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 69: 1-21.
- SANDERSON, M.J., and M.J. DONOGHUE. 1989. Patterns of variation in levels of homoplasy. *Evolution*, 43: 1781-1795.
- SÄVE-SÖDERBERGH, G. 1932. Preliminary note on Devonian stegocephalians from East Greenland. *Meddelelser om Grønland*, 94: 1-107.
- SÄVE-SÖDERBERGH, G. 1934. Some points of view concerning the evolution of vertebrates and the classification of this group. *Arkiv för Zoologi*, 26A: 1-20.
- SÄVE-SÖDERBERGH, G. 1935. On the dermal bones of the head of labyrinthodont stegocephalians and primitive Reptilia with special reference to Eotriassic stegocephalians from East Greenland. *Meddelelser om Grønland*, 98: 1-211.
- SÄVE-SÖDERBERGH, G. 1936. On the morphology of Triassic Stegocephalians from Spitsbergen, and the interpretation of the endocranium in the labyrinthodonta. *Kungliga Svenska Vetenskapsakademiens Handlingar*, 11: 1-181.
- SAWIN, H.J. 1941. The cranial anatomy of *Eryops megacephalus*. *Bulletin of the Museum of Comparative Zoology, Harvard College*, 88: 405-464.
- SAWIN, H.J. 1945. Amphibians from the Dockum Triassic of Howard County, Texas. *University of Texas Publication*, 4401: 361-399.
- SCHAEFFER, B. 1941. The morphological and functional evolution of the tarsus in amphibians and reptiles. *Bulletin of the American Museum of Natural History*, 78: 395-472.
- SCHMIDT, M. 1931. Labyrinthodonten und reptilien aus den thuringischen Lettenkohlschichten. *Geologische und Paläontologische Abhandlungen*, 18: 229-276.
- SCHOCH, R.R. 1992. Comparative ontogeny of Early Permian branchiosaurid amphibians from Southwestern Germany. *Palaeontographica Abteilung A- Paläozoologie-Stratigraphie*, 222: 43-83.
- SCHOCH, R.R. 1995. Heterochrony and the development of the amphibian head; pp. 107-124 in K.J. MCNAMARA (ed.), *Evolutionary Change and Heterochrony*. John Wiley and Sons, Chichester.
- SCHOCH, R.R. 1997. Cranial anatomy of the Permian temnospondyl amphibian *Zatrachys serratus* Cope 1978, and the phylogenetic position of the *Zatrachydidae*. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 206: 223-248.
- SCHOCH, R.R. 1999a. Comparative osteology of *Mastodonsaurus giganteus* (Jaeger, 1828) from the Middle Triassic (Lettenkeuper: Longobardian) of Germany (Baden-Württemberg, Bayern, Thüringen). *Stuttgarter Beiträge zur Naturkunde Serie B (Geologie und Paläontologie)*, 278: 1-175.

- SCHOCH, R.R. 1999b. Studies on braincases of early tetrapods: structure, morphological diversity and phylogeny: 1, *Trimerorhachis* and other primitive tetrapods. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 213: 233-259.
- SCHOCH, R.R. 2000a. The origin and relationships of Triassic capitosaurid amphibians. *Palaeontology*, 43: 705-727.
- SCHOCH, R.R. 2000b. The stapes of *Mastodonsaurus giganteus* (Jaeger, 1828): Structure, articulation, ontogeny, and functional implications. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 215: 177-200.
- SCHOCH, R.R. 2002a. The palatoquadrate of *Mastodonsaurus giganteus* (Jaeger, 1828), and the evolutionary modification of this region. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 225: 401-423.
- SCHOCH, R.R. 2002b. The neurocranium of the stereospondyl *Mastodonsaurus giganteus*. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 45: 627-645.
- SCHOCH, R.R. 2002c. The stapes and middle ear of the Permo-Carboniferous tetrapod *Sclerocephalus*. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 2002: 671-680.
- SCHOCH, R.R. 2002d. The evolution of metamorphosis in temnospondyls. *Lethaia*, 35: 309-327.
- SCHOCH, R.R. 2003. Early larval ontogeny of the Permo-Carboniferous temnospondyl *Sclerocephalus*. *Palaeontology*, 46: 1055-1072.
- SCHOCH, R.R. 2006. A complete trematosaurid amphibian from the Middle Triassic of Germany. *Journal of Vertebrate Paleontology*, 26: 29-43.
- SCHOCH, R.R., and A.R. MILNER. 2000. Stereospondyli; in P. WELLNHOFER (ed.), *Handbuch der Paläoherpetology*, Volume 3B. Verlag Dr. Friedrich Pfiel, Munich. 203 pp.
- SCHOCH, R.R., and A.R. MILNER. 2004. Structure and implications of theories on the origin of lissamphibians; pp. 345-377 in G. ARRIATA, M.V.H. WILSON, and R. CLOUTIER (eds.), *Recent Advances in the Origin and Early Radiation of Vertebrates: Honoring Hans-Peter Schultze*. Verlag Dr. Friedrich Pfiel, München.
- SCHOCH, R.R., and B.S. RUBIDGE. 2005. The amphibamid *Micropholis* from the *Lystrosaurus* Assemblage Zone of South Africa. *Journal of Vertebrate Paleontology*, 25: 502-522.
- SCHOCH, R.R., and N.B. FRÖBISCH. 2006. Metamorphosis and neotony: Alternative pathways in an extinct amphibian clade. *Evolution*, 60: 1467-1475.
- SCHULTZE, H.-P. 1987. Dipnoans as sarcopterygians; pp. 39-74 in W.E. BEMIS, W.W. BURGESS, and N.E. KEMP (eds.), *The Biology and Evolution of Lungfishes*. Alan R. Liss, New York.
- SCHULTZE, H.-P., and J.R. BOLT. 1996. The lungfish *Tranodis* and the tetrapod fauna from the Upper Mississippian of North America. *Special Papers in Palaeontology*, 52: 31-54.
- SENGUPTA, D.P. 1992. *Metoposaurus maleriensis* Roychowdhury from the Tiki formation of Son-Mahandi valley of central India. *Indian Journal of Geology*, 64: 300-305.
- SENGUPTA, D.P. 1995. Chigutisaurid temnospondyls from the Late Triassic of India and a review of the family Chigutisauridae. *Palaeontology*, 38: 313-339.
- SENGUPTA, D.P. 2002. Indian metoposaurid amphibians revised. *Paleontological Research*, 6: 41-65.
- SEQUEIRA, S.E.K. 1996. A cochleosaurid amphibian from the Upper Carboniferous of Ireland. *Special Papers in Palaeontology*, 52: 65-80.

- SEQUEIRA, S.E.K. 1998. The cranial morphology and taxonomy of the saurerpetontid *Isodectes obtusus* comb. nov. (Amphibia: Temnospondyli) from the Lower Permian of Texas. *Zoological Journal of the Linnean Society*, 122: 237-259.
- SEQUEIRA, S.E.K. 2004. The skull of *Cochleosaurus bohemicus* Fric, a temnospondyl from the Czech Republic (Upper Carboniferous) and cochleosaurid interrelationships. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 94: 21-43.
- SEQUEIRA, S.E.K., and A.R. MILNER. 1993. The temnospondyl amphibian *Capetus* from the Upper Carboniferous of the Czech Republic. *Palaeontology*, 36: 657-680.
- SHISHKIN, M.A. 1961. New data on *Tupilakosaurus*. *Doklady Akademii Nauk SSSR*, 136: 938-941.
- SHISHKIN, M.A. 1966. A brachyopid labyrinthodont from the Triassic of the Russian Platform. *International Geological Review*, 9: 210-322.
- SHISHKIN, M.A. 1967. Plagiosaurids from the Triassic of the USSR. *Paleontological Journal*, 1: 86-92.
- SHISHKIN, M.A. 1973. The morphology of the early amphibians and some problems of the lower tetrapod evolution. *Trudy Paleontologicheskogo Instituta*, 137: 1-257.
- SHISHKIN, M.A. 1980. The Luzocephalidae, a new Triassic labyrinthodont family. *Paleontological Journal*, 14: 88-101.
- SHISHKIN, M.A. 1986. On the morphological evolution of Plagiosaurids (Amphibia: Labyrinthodontia); pp. 41-44 in Z. ROCEK (ed.), *Studies in Herpetology*. Charles University, Prague.
- SHISHKIN, M.A. 1987. The evolution of early amphibians (Plagiosauroida). *Trudy Paleontologicheskogo Instituta*, 225: 1-143.
- SHISHKIN, M.A. 1989. On the resegmentation of vertebrae in the early tetrapods. *Acta Musei Reginaehradecensis SA: Scientiae Naturales*, 22: 105-115.
- SHISHKIN, M.A. 1991. A Late Jurassic labyrinthodont from Mongolia. *Paleontological Journal*, 1991: 78-91 (In Russian).
- SHISHKIN, M.A. 1998. *Tungussogyrinus*: A relict neotonic dissorhoid (Amphibia, Temnospondyli) from the Permo-Triassic of Siberia. *Paleontological Journal*, 32: 521-531.
- SHISHKIN, M.A. 2000. Evolution of the cervical vertebrae in temnospondyl amphibians and differentiation of the early tetrapods. *Paleontological Journal*, 34: 534-546.
- SHISHKIN, M.A., and J. WELMAN. 1994. A new find of *Trematosuchus* (Amphibia, Temnospondyli) from the Cynognathus Zone of South Africa. *Palaeontologia africana*, 31: 39-49.
- SHISHKIN, M.A., and B.S. RUBIDGE. 2000. A relict rhinesuchid (Amphibia: Temnospondyli) from the Lower Triassic of South Africa. *Palaeontology*, 43: 653-670.
- SHISHKIN, M.A., B.S. RUBIDGE, and J.W. KITCHING. 1996. A new lydekkerinid (Amphibia, Temnospondyli) from the Lower Triassic of South Africa: implications for evolution of the early capitosauroid cranial pattern. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 351: 1635-1659.
- SHUBIN, N.H., E.B. DAESCHLER, and M.I. COATES. 2004. The early evolution of the tetrapod humerus. *Science*, 304: 90-93.
- SHUBIN, N.H., E.B. DAESCHLER, and F.A. JENKINS JNR. 2006. The pectoral fin of *Tiktaalik roseae* and the origin of the tetrapod limb. *Nature*, 440: 764-771.
- SIDOR, C.A., F.R. O'KEEFE, R.J. DAMIANI, J.-S. STEYER, R.M.H. SMITH, H.C.E. LARSSON, P.C. SERENO, O. IDE, and A. MAGA. 2005. Permian tetrapods from the Sahara show climate controlled endemism in Pangea. *Nature*, 434: 886-889.

- SMITH, R.M.H. 1995. Changing fluvial environments across the Permian-Triassic boundary in the Karoo Basin, South Africa and possible causes of tetrapod extinctions. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 117: 81-104.
- SMITH, R.M.H., and P.D. WARD. 2001. Pattern of vertebrate extinctions across an event bed at the Permian-Triassic boundary in the Karoo Basin of South Africa. *Geology*, 29: 1147-1150.
- SMITHSON, T.R. 1982. The cranial morphology of *Greererpeton burkemorani* Romer (Amphibia: Temnospondyli). *Zoological Journal of the Linnean Society*, 76: 29-90.
- SMITHSON, T.R. 1985. The morphology and relationships of the Carboniferous amphibian *Eoherpeton watsoni* Panchen. *Zoological Journal of the Linnean Society*, 85: 317-410.
- SMITHSON, T.R. 1994. *Eldeceeon rolfei*, a new reptiliomorph from the Viséan of East Kirkton, West Lothian, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84: 377-382.
- SMITHSON, T.R., and K.S. THOMSON. 1982. The hyomandibular of *Eusthenopteron foordi* Whiteaves (Pisces: Crossopterygii) and the early evolution of the tetrapod stapes. *Zoological Journal of the Linnean Society*, 74: 93-103.
- SMITHSON, T.R., and W.D.I. ROLFE. 1990. *Westlothiana* gen. nov.: naming the earliest known reptile. *Scottish Journal of Geology*, 26: 137-138.
- SMITHSON, T.R., R.L. CARROLL, A.L. PANCHEN, and S.M. ANDREWS. 1994. *Westlothiana lizziae* from the Viséan of East Kirkton, West Lothian, Scotland, and the amniote stem. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84: 383-412.
- SPINAR, Z. 1949. On the stegocephalian species *Melanerpeton longicaudatum* J. Augusta, 1936. *Bulletin International de l'Académie tchèque des Sciences*, 1949: 1-24.
- SPINAR, Z. 1950. The stegocephalian *Melanerpeton pusillum* A. Fritsch, 1878. *Bulletin International de l'Académie tchèque des Sciences*, 1950: 1-19.
- STEEN, M.C. 1934. The amphibian fauna from the South Joggins, Nova Scotia. *Proceedings of the Zoological Society of London*, 1934: 465-504.
- STEEN, M.C. 1937. On *Acanthostoma vorax* Credner. *Proceedings of the Zoological Society of London*, 107: 491-500.
- STEPHENS, M.A. 1887. On some additional labyrinthodont fossils from the Hawkesbury sandstones of New South Wales (*Platyceps wilkinsoni*, and two unnamed specimens). *Proceedings of the Linnean Society of New South Wales*, 2: 1175-1192.
- STEYER, J.-S. 2000. Ontogeny and phylogeny in temnospondyls: A new method of analysis. *Zoological Journal of the Linnean Society*, 130: 449-467.
- STEYER, J.-S. 2002. The first articulated trematosaur 'amphibian' from the Lower Triassic of Madagascar: implications for the phylogeny of the group. *Palaeontology*, 45: 771-793.
- STEYER, J.-S. 2003. A revision of the Early Triassic "capitosaurs" (Stegocephali, Stereospondyli) from Madagascar, with remarks on their comparative ontogeny. *Journal of Vertebrate Paleontology*, 23: 544-555.
- STEYER, J.-S., and R.J. DAMIANI. 2005. A giant brachyopoid temnospondyl from the Upper Triassic or Lower Jurassic of Lesotho. *Bulletin de la Société Géologique de France*, 176: 243-248.
- STEYER, J.-S., M. LAURIN, J. CASTENET, and A. DE RICQLÈS. 2004. First histological and skeletochronological data on temnospondyl growth: Palaeoecological and palaeoclimatological implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 206: 193-201.

- STEYER, J.-S., R.J. DAMIANI, C.A. SIDOR, F.R. O'KEEFE, H.C.E. LARSSON, A. MAGA, and O. IDE. 2006. The vertebrate fauna of the Upper Permian of Niger. V. *Nigerpeton ricqlesi* (Temnospondyli: Cochleosauridae), and the edopoid colonization of Gondwana. *Journal of Vertebrate Paleontology*, 26: 18-28.
- SULEJ, T., and D. MAJER. 2005. The temnospondyl amphibian *Cyclotosaurus* from the Upper Triassic of Poland. *Palaeontology*, 48: 157-170.
- SULLIVAN, C., and R.R. REISZ. 1999. First record of *Seymouria* (Vertebrata: Seymouriamorpha) from the Early Permian fissure fills at Richards Spur, Oklahoma. *Canadian Journal of Earth Sciences*, 36: 1257-1266.
- SULLIVAN, C., R.R. REISZ, and W.J. MAY. 2000. Large dissorophoid skeletal elements from the Lower Permian Richards Spur fissures, Oklahoma, and their paleoecological implications. *Journal of Vertebrate Paleontology*, 20: 456-461.
- SUMIDA, S.S. 1990. Vertebral morphology, alternation of spine height, and structure in Permo-Carboniferous tetrapods, and a reappraisal of primitive modes of terrestrial locomotion. *University of California Publications in Zoology*, 122: 1-133.
- SUMIDA, S.S. 1997. Locomotor features of taxa spanning the origin of amniotes; pp. 353-398 in S. SUMIDA and K. MARTIN (eds.), *Amniote Origins: Completing the Transition to Land*. Academic Press, London.
- SUMIDA, S.S., and R.E. LOMBARD. 1991. The atlas-axis complex in the late Paleozoic genus *Diadectes* and the characteristics of the atlas-axis complex across the amphibian to amniote transition. *Journal of Paleontology*, 65: 973-983.
- SUMIDA, S.S., and S.P. MODESTO. 2001. A phylogenetic perspective on locomotory strategies in early amniotes. *American Zoologist*, 41: 586-587.
- SUMIDA, S.S., R.E. LOMBARD, and D.S. BERMAN. 1992. Morphology of the atlas-axis complex of the late Palaeozoic tetrapod suborders Diadectomorpha and Seymouriamorpha. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 336: 259-273.
- SUMIDA, S.S., D.S. BERMAN, and T. MARTENS. 1998. A new trematopsid amphibian from the lower Permian of central Germany. *Palaeontology*, 41: 605-629.
- SUSHKIN, P.P. 1936. Notes on the pre-Jurassic Tetrapoda from USSR III. *Dvinosaurus Amalitzki*, a perennibranchiate stegocephalian from the Upper Permian of north Dvina. *Trudy Paleontologicheskogo Instituta*, 5: 43-91.
- SWOFFORD, D.L. 2003. PAUP\*. Phylogenetic analysis using parsimony (\*and other methods). 4.10. Sinauer Associates, Sunderland, Massachusetts.
- SYMMONS, S. 1979. Notochordal and elastic components of the axial skeleton of fishes and their functions in locomotion. *Journal of Zoology, London*, 189: 157-206.
- TRUEB, L., and R. CLOUTIER. 1991. A phylogenetic investigation of the inter- and intrarelationships of the Lissamphibia (Amphibia: Temnospondyli); pp. 223-313 in H.-P. SCHULTZE and L. TRUEB (eds.), *Origins of the Higher Groups of Tetrapods: Controversy and Consensus*. Cornell University Press, Ithaca, New York.
- VALLIN, G., and M. LAURIN. 2004. Cranial morphology and affinities of *Microbrachis*, and a reappraisal of the phylogeny and lifestyle of the first amphibians. *Journal of Vertebrate Paleontology*, 24: 56-72.
- VAN HOEPEN, E.C.N. 1911. Korte voorlopige beschrijving van te Senekal gevonden stegocephalen. *Annals of the Transvaal Museum*, 3: 102-106.
- VAN HOEPEN, E.C.N. 1915. Stegocephalia of Senekal, O. F. S. *Annals of the Transvaal Museum*, 5: 129-149.
- VAUGHN, P.P. 1966. *Seymouria* from the Lower Permian of Southeastern Utah, and the possible sexual dimorphism in that genus. *Journal of Paleontology*, 40: 603-612.

- VAUGHN, P.P. 1969. Upper Pennsylvanian vertebrates from the Sangre de Cristo Formation of central Colorado. Los Angeles City Museum Contributions to Science, 164: 1-27.
- VAUGHN, P.P. 1971. A *Platyhystrix*-like amphibian with fused vertebrae from the Upper Pennsylvanian of Ohio. Journal of Paleontology, 45: 464-469.
- VENCZEL, M., and J.D. GARDNER. 2005. The geologically youngest albanerpetontid amphibian, from the Lower Pliocene of Hungary. Palaeontology, 48: 1273-1300.
- VON HUENE, F. 1922. Beiträge zur kenntnis der organisation einiger stegocephalen der schwäbischen Trias. Acta Zoologica (Stockholm), 3: 395-460.
- VON HUENE, F. 1932. Ein neuartiger Stegocephalen-Fund aus dem oberhessischen Buntsandstein. Paläontologische Zeitschrift, 14: 200-229.
- VON HUENE, F. 1940. The tetrapod fauna of the Upper Triassic Maleri Beds. Palaeontologica Indica, 32: 1-42.
- VOORHIES, M.R. 1969. Taphonomy and population dynamics of an early Pliocene vertebrate fauna, Knox County, Nebraska. Contributions to Geology, University of Wyoming Special Paper, 1: 1-69.
- VOROBYEVA, E.I. 1977. Morphology and nature of the evolution of crossopterygian fishes. Trudy Paleontologicheskogo Instituta, 163: 1-240 (In Russian).
- VOROBYEVA, E.I. 1992. The Problem of the Terrestrial Vertebrate Origin. Nauka, Moscow (In Russian).
- VOROBYEVA, E.I. 1995. The shoulder girdle of *Panderichthys rhombolepis* (Gross) (Crossopterygii), Upper Devonian, Latvia. Geobios, 19: 285-288.
- VOROBYEVA, E.I. 1998. Evolution of the rhipidistian (Crossopterygii) pectoral girdle in the context of the origin of tetrapods. Paleontological Journal, 32: 217-225.
- VOROBYEVA, E.I. 2000. Morphology of the humerus in the rhipidistian Crossopterygii and the origin of tetrapods. Paleontological Journal, 34: 632-641.
- VOROBYEVA, E.I., and H.-P. SCHULTZE. 1991. Description and systematics of panderichthyid fishes with comments on their relationships to tetrapods; pp. 68-109 in H.-P. SCHULTZE and L. TRUEB (eds.), Origins of the Higher Groups of Tetrapods: Controversy and Consensus. Cornell University Press, Ithaca, New York.
- VOROBYEVA, E.I., and A. KUZNETSOV. 1992. The locomotor apparatus of *Panderichthys rhombolepis* (Gross), a supplement to the problem of fish-tetrapod transition; pp. 131-140 in E. MARK-KURIK (ed.), Fossil Fishes as Living Animals. Institute of Geology, Academy of Sciences of Estonia, Tallin.
- WAKE, D.B. 1970. Aspects of vertebral evolution in the modern Amphibia. Forma et functio, 3: 33-60.
- WAKE, D.B., and S.M. DEBAN. 2000. Terrestrial feeding in salamanders; pp. 95-116 in K. SCHWENK (ed.), Feeding: Form, Function and Evolution in Tetrapod Vertebrates. Academic Press, San Diego, California.
- WARREN, A.A. 1981a. A horned member of the labyrinthodont superfamily Brachyopoidea from the Early Triassic of Queensland. Alcheringa, 5: 273-288.
- WARREN, A.A. 1981b. The lower jaw of the labyrinthodont family Brachyopidae. Memoirs of the Queensland Museum, 20: 285-89.
- WARREN, A.A. 1985. Triassic Australian plagiosauroid. Journal of Paleontology, 59: 236-241.
- WARREN, A.A. 1997. A tetrapod fauna from the Permian of the Sydney basin. Records of the Australian Museum, 49: 25-33.
- WARREN, A.A. 1998a. *Laidleria* uncovered, a redescription of *Laidleria gracilis* Kitching (1957), a temnospondyl from the *Cynognathus* Zone of South Africa. Zoological Journal of the Linnean Society, 122: 167-185.

- WARREN, A.A. 1998b. Karoo tupilakosaurid: A relict from Gondwana. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 89: 145-160.
- WARREN, A.A. 2000. Secondarily aquatic temnospondyls of the Upper Permian and Mesozoic; pp. 1121-1149 in H. HEATWOLE and R.L. CARROLL (eds.), *Palaeontology: The Evolutionary History of Amphibians, Amphibian Biology, Volume 4*. Surrey Beatty & Sons, Chipping Norton.
- WARREN, A.A., and M.N. HUTCHINSON. 1983. The last labyrinthodont? A new brachyopoid (Amphibia, Temnospondyli) from the Early Jurassic Evergreen Formation of Queensland, Australia. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*, 303: 1-62.
- WARREN, A.A., and T. BLACK. 1985. A new rhytidosteid (Amphibia, Labyrinthodontia) from the Early Triassic Arcadia Formation of Queensland, Australia, and the relationships of Triassic temnospondyls. *Journal of Vertebrate Paleontology*, 5: 303-327.
- WARREN, A.A., and M.N. HUTCHINSON. 1987. The skeleton of a new hornless rhytidosteid (Amphibia, Temnospondyli). *Alcheringa*, 11: 291-302.
- WARREN, A.A., and M.N. HUTCHINSON. 1988. A new capitosaurid amphibian from the Early Triassic of Queensland, and the ontogeny of the capitosaur skull. *Palaeontology*, 31: 857-876.
- WARREN, A.A., and M.N. HUTCHINSON. 1990a. *Lapillopsis*, a new genus of temnospondyl amphibians from the Early Triassic of Queensland. *Alcheringa*, 14: 149-158.
- WARREN, A.A., and M.N. HUTCHINSON. 1990b. The young ones: Small temnospondyls from the Arcadia Formation. *Memoirs of the Queensland Museum*, 28: 103-106.
- WARREN, A.A., and N. SNELL. 1991. The postcranial skeleton of Mesozoic temnospondyl amphibians: A review. *Alcheringa*, 15: 43-64.
- WARREN, A.A., and N. SCHROEDER. 1995. Changes in the capitosaur skull with growth: An extension of the growth series of *Parotosuchus aliciae* (Amphibia, Temnospondyli) with comments on the otic area of capitosaur. *Alcheringa*, 19: 41-46.
- WARREN, A.A., and C.A. MARSICANO. 1998. Revision of the Brachyopidae (Temnospondyli) from the Triassic of the Sydney, Carnarvon and Tasmania Basins, Australia. *Alcheringa*, 22: 329-342.
- WARREN, A.A., and R.J. DAMIANI. 1999. Stereospondyl amphibians from the Elliot Formation of South Africa. *Palaeontologia africana*, 35: 45-54.
- WARREN, A.A., and C.A. MARSICANO. 2000. A phylogeny of the Brachyopoidea (Temnospondyli, Stereospondyli). *Journal of Vertebrate Paleontology*, 20: 462-483.
- WARREN, A.A., and R. PTASZNIK. 2002. The earliest fractured tetrapod bone. *Alcheringa*, 26: 459-463.
- WARREN, A.A., and S. TURNER. 2004. The first stem tetrapod from the Lower Carboniferous of Gondwana. *Palaeontology*, 47: 151-184.
- WARREN, A.A., T.H. RICH, and P. VICKERS-RICH. 1997. The last last labyrinthodonts? *Palaeontographica Abteilung A- Palaeozoologie-Stratigraphie*, 247: 1-24.
- WARREN, A.A., B.S. RUBIDGE, I.G. STANISTREET, H. STOLLHOFEN, A. WANKE, E.M. LATIMER, C.A. MARSICANO, and R.J. DAMIANI. 2001. Oldest known stereospondylous amphibian from the Early Permian of Namibia. *Journal of Vertebrate Paleontology*, 21: 34-39.
- WARREN, J.W. 1961. The basicranial articulation of the early Permian cotylosaur, *Captorhinus*. *Journal of Paleontology*, 35: 561-563.
- WATSON, D.M.S. 1913. On *Micropholis stowi* Huxley, a temnospondylous amphibian from South Africa. *Geological Magazine, London*, 10: 340-346.

- WATSON, D.M.S. 1919. The structure, evolution and origin of the Amphibia. The 'orders' Rachitomi and Stereospondyli. Philosophical Transactions of the Royal Society of London Series B, Containing Papers of a Biological Character, 209: 1-73.
- WATSON, D.M.S. 1926. The evolution and origin of the Amphibia. Philosophical Transactions of the Royal Society of London Series B, Containing Papers of a Biological Character, 214: 189-257.
- WATSON, D.M.S. 1940. The origin of frogs. Transactions of the Royal Society of Edinburgh, 60: 195-231.
- WATSON, D.M.S. 1956. The brachyopid labyrinthodonts. Bulletin of the British Museum of Natural History (Geology), 2: 317-392.
- WATSON, D.M.S. 1958. A new labyrinthodont (*Paracyclotosaurus*) from the Upper Trias of New South Wales. Bulletin of the British Museum of Natural History (Geology), 3: 22-263.
- WATSON, D.M.S. 1962. The evolution of the labyrinthodonts. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 245: 219-265.
- WATSON, D.M.S. 1963. On growth stages in Branchiosaurs. Palaeontology, 6: 540-563.
- WELLES, S.P. 1941. The mandible of a diadectid cotylosaur. University of California Publications, Bulletin of the Department of Geological Sciences, 25: 423-431.
- WELLES, S.P. 1947. Vertebrates from the Upper Moenkopi Formation of Northern Arizona. University of California Publications in the Geological Sciences, 27: 241-294.
- WELLES, S.P., and J.W. COSGRIFF. 1965. A revision of the labyrinthodont family Capitosauridae and a description of *Parotosaurus peabodyi* n. sp. from the Moenkopi Formation of Northern Arizona. University of California Publications in the Geological Sciences, 27: 241-289.
- WELLES, S.P., and R. ESTES. 1969. *Hadrokkosaurus bradyi* from the Upper Moenkopi Formation of Arizona, with a review of the Brachyopid labyrinthodonts. University of California Publications in the Geological Sciences, 84: 1-56.
- WELLSTEAD, C.F. 1982. A Lower Carboniferous aïstopod amphibian from Scotland. Palaeontology, 25: 193-208.
- WELLSTEAD, C.F. 1991. Taxonomic revision of the Lysorophia, Permo-Carboniferous Lepospondyli amphibians. Bulletin of the American Museum of Natural History, 209: 1-90.
- WEPFER, E. 1923. Der Buntsandstein des badischen Schwarzwalds und seine labyrinthodonten. Monographien zur Geologie und Palaeontologie, 2: 1-101.
- WERNEBURG, R. 1990. Dissorohoiden (Amphibia) aus dem Grenzbereich Karbon / Perm der Saale-Senke und des Ilfelder Beckens (DDR). Zeitschrift für Geologische Wissenschaften, 18: 665-677.
- WERNEBURG, R. 1991. Die Branchiosaurier aus dem Unterrotliegend des Döhlener Beckens bei Dresden. Veröffentlichungen Naturhistorisches Museum Schleusingen, 6: 75-99.
- WERNEBURG, R. 1992. *Sclerocephalus jogischnneideri* n. sp. (Eryopoidea, Amphibia) aus dem Unterrotliegenden (Unterperm) des Thüringer Waldes. Freiburger Forshungshefte, Palaontologie, 445: 29-48.
- WERNEBURG, R. 1993a. *Eryops* in the Thuringian forest? Pollichia, 29: 171-176.
- WERNEBURG, R. 1993b. *Onchiodon* (Eryopidae, Amphibia) from the Rotliegend of the Intrasudetic Basin (Bohemia). Paläontologische Zeitschrift, 67: 343-355.
- WERNEBURG, R. 1993c. An eryopoid (Amphibia) from the Rotliegend (Lower Permian) of the Erzgebirge basin (Saxonia). Freiburger Forshungshefte, Palaontologie, 451: 151-160.

- WERNEBURG, R. 1995. Der saurier von Chemnitz (Rotliegend, Unterperm). Veröffentlichungen des Museums für Naturkunde Chemnitz, 18: 47-52.
- WERNEBURG, R. 1996. Temnospondyle amphibien aus dem Karbon Mitteldeutschlands. Veröffentlichungen Naturhistorisches Museum Schleusingen, 11: 23-64.
- WERNEBURG, R. 1997. Der Eryopide *Onchiodon* (Amphibia) aus dem Rotliegend des Beckens von Autun (Frankreich). Freiburger Forschungshefte, Palaontologie, Stratigraphie, Fazies, 466: 167-181.
- WERNEBURG, R. 1998. Ein lavalier *Acanthostomatops* (Zatrachydidae, Amphibia) aus der Niederhäslich-Formation (Unter-Perm) des Döhlen-Beckens. Veröffentlichungen des Museums für Naturkunde Chemnitz, 21: 49-52.
- WERNEBURG, R. 2002. *Apateon dracyiensis*: Eine frühe pionierform der Branchiosaurier aus dem Europäischen Rotliegend Teil 2: Paläoökologie. Veröffentlichungen Naturhistorisches Museum Schleusingen, 17: 17-32.
- WERNEBURG, R. 2003. The branchiosaurid amphibians from the Lower Permian of Buxières-les-Mines, Bourbon l'Archambault Basin (Allier, France) and their biostratigraphic significance. Bulletin de la Société Géologique de France, 174: 343-349.
- WERNEBURG, R. 2004a. Fossilagerstätten im Unteren Keuper Thüringens (Erfurt-Formation, Mittel-Trias). Teil 1: ICE-Trasse südlich der BAB 71-Ausfahrt "Arnstadt Nord". Veröffentlichungen Naturhistorisches Museum Schleusingen, 19: 55-74.
- WERNEBURG, R. 2004b. First record of postcranial lateral lines in fossil amphibians (Branchiosauridae; Rotliegend, Upper Carboniferous-Lower Permian). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, 232: 365-373.
- WERNEBURG, R., and J. ZAJIC. 1990. A new branchiosaur find from Kosfalov (Krkonoše-piedmont Basin). Vestník Ústředního ústavu geologického, 65: 359-362.
- WERNEBURG, R., and J. SCHNEIDER. 1996. The Permian temnospondyl amphibians of India. Special Papers in Palaeontology, 52: 105-128.
- WERNEBURG, R., and J.-S. STEYER. 1999. Redescription of the holotype of *Actinodon frossardi* (Amphibia, Temnospondyli) from the Lower Permian of the Autun basin (France). Geobios, 32: 599-607.
- WERNEBURG, R., and J.-S. STEYER. 2002. Revision of *Cheliderpeton vranyi* Fritsch, 1877 (Amphibia, Temnospondyli) from the Lower Permian of Bohemia (Czech Republic). Paläontologische Zeitschrift, 76: 149-162.
- WERNER, Y.L. 1971. The ontogenic development of the vertebrae in some gekkonoid lizards. Journal of Morphology, 133: 41-92.
- WHITE, T.E. 1939. Osteology of *Seymouria baylorensis* Broili. Bulletin of the Museum of Comparative Zoology, Harvard College, 85: 325-409.
- WHITTARD, W.F. 1928. On the structure of the palate and mandible of *Archegosaurus decheni*, Goldfuss. Annals and Magazine of Natural History, 10: 255-264.
- WIENS, J.J. 2005. Can incomplete taxa rescue phylogenetic analyses from long-branch attraction? Systematic Biology, 54: 731-742.
- WILLIAMS, E.E. 1959. Gadow's arcualia and the development of tetrapod vertebrae. Quarterly Review of Biology, 34: 1-32.
- WILLISTON, S.W. 1899. Notes on the coraco-scapula of *Eryops* Cope. Kansas University Quarterly, 8: 185-186.
- WILLISTON, S.W. 1909a. New or little known Permian vertebrates: *Trematops*, new genus. Journal of Geology, 17: 636-658.
- WILLISTON, S.W. 1909b. The skull and extremities of *Diplocaulus*. Transactions of the Kansas Academy of Science, 1909: 122-131.

- WILLISTON, S.W. 1910a. *Cacops*, *Desmospondylus*; new genera of Permian vertebrates. Bulletin of the Geological Society of America, 21: 249-284.
- WILLISTON, S.W. 1910b. *Dissorophus* Cope. Journal of Geology, 18: 526-536.
- WILLISTON, S.W. 1911a. American Permian Vertebrates. University of Chicago Press, Chicago. 144 pp.
- WILLISTON, S.W. 1911b. A new family of reptiles from the Permian of New Mexico. American Journal of Science, 31: 378-398.
- WILLISTON, S.W. 1912. Restoration of *Limnoscelis*, a cotylosaur reptile from New Mexico. American Journal of Science, 34: 457-468.
- WILLISTON, S.W. 1914. *Broiliellus*, a new genus of amphibians from the Permian of Texas. Journal of Geology, 22: 49-52.
- WILLISTON, S.W. 1915a. *Trimerorhachis*, a Permian temnospondyl amphibian. Journal of Geology, 23: 246-255.
- WILLISTON, S.W. 1915b. *Broiliellus*, a new genus of amphibians from the Permian of Texas. Journal of Geology, 22: 49-52.
- WILLISTON, S.W. 1916. The skeleton of *Trimerorhachis*. Journal of Geology, 24: 291-297.
- WIMAN, C. 1910. Ein paar Labyrinthodontenreste aus der Trias Spitzbergens. Bulletin of the Geological Institute, University of Uppsala, 9: 34-40.
- WITMER, L.M. 1995. The extant phylogenetic bracket and the importance of reconstructing soft tissues in fossils; pp. 19-33 in J.J. THOMASON (ed.), Functional morphology in vertebrate paleontology. Cambridge University Press, Cambridge.
- WITZMANN, F. 2004. The external gills of Palaeozoic amphibians. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, 232: 375-401.
- WITZMANN, F. 2005. Hyobranchial and postcranial ontogeny of the temnospondyl *Onchiodon labyrinthicus* (Geinitz, 1861) from Niederhäslich (Döhlen Basin, Saxony). Paläontologische Zeitschrift, 79: 479-492.
- WITZMANN, F. 2006a. Developmental patterns and ossification sequence in the Permo-Carboniferous temnospondyl *Archegosaurus decheni* (Saar-Nahe Basin, Germany). Journal of Vertebrate Paleontology, 26: 7-17.
- WITZMANN, F. 2006b. Cranial morphology and ontogeny of the Permo-Carboniferous temnospondyl *Archegosaurus decheni* Goldfuss, 1847 from the Saar-Nahe Basin, Germany. Transactions of the Royal Society of Edinburgh: Earth Sciences, 96: 131-162.
- WITZMANN, F., and H.-U. PFRETZSCHNER. 2003. Larval ontogeny of *Micromelerpeton credneri* (Temnospondyli, Dissorophoidea). Journal of Vertebrate Paleontology, 23: 750-768.
- WYMAN, J. 1858. On some remains of batrachian reptiles discovered in the coal formation of Ohio, by Dr J.S. Newberry and C.M. Wheatley. American Journal of Science, 2: 158-163.
- YATES, A.M. 1999. The Lapillopsidae: A new family of small temnospondyls from the Early Triassic of Australia. Journal of Vertebrate Paleontology, 19: 302-320.
- YATES, A.M., and A.A. WARREN. 2000. The phylogeny of the 'higher' temnospondyls (Vertebrata: Choanata) and its implications for the monophyly and origins of the Stereospondyli. Zoological Journal of the Linnean Society, 128: 77-121.
- ZAJIC, J., A.R. MILNER, and J. KLEMBARA. 1990. The first partially articulated amphibian (Temnospondyli: Dissorophoidea) from the Line formation (Stephanian C, central Bohemia). Vestník Ústředního ústavu geologického, 65: 329-337.
- ZITTEL, K.A. 1888. Handbuch der Paläontologie. Abteilung 1. Paläozoologie Band III. Vertebrata (Pisces, Amphibia, Reptilia, Aves). München, Oldenbourg. 900 pp.

ZWICKL, D.J., and D.M. HILLIS. 2002. Increased taxon sampling greatly reduces phylogenetic error. *Systematic Biology*, 51: 588-598.